



MOPAR®

At your service

MOPAR@PTAK.AUTO.PL
WWW.PTAK.AUTO.PL

VEHICLE LUBRICANT & CHEMICAL CATALOG



TABLE OF CONTENTS

ORDERING INFORMATION	3
ALPHABETICAL INDEX	4
AIR CONDITIONING	8
ASSEMBLY & REPAIR	10
TRANSMISSION FLUIDS	12
COOLANT	14
DIESEL FLUIDS	17
MOPAR® BULK OIL	18
ECOBX™	20
ENGINE OILS	21
FUEL CLEANERS	26
GEAR & AXLE LUBRICANTS	28
LEAK DETECTION	33
LUBRICANTS & GREASE	34
MASTER SHIELD	37
POWER STEERING & BRAKE FLUIDS	38
SEALANTS & ADHESIVES	40
VEHICLE PREP AND DETAIL	44
WINDSHIELD WASHER SOLVENT	46
TOUCH-UP PAINT ASSORTMENT KIT & DISPLAY RACK	51
WHEEL TOUCH-UP PAINT KIT	52
5-IN-1 TOUCH-UP PAINT PEN	53
TIRE SERVICE KITS	54
NUMERICAL PART NUMBER INDEX	55



Ordering Information

All Mopar® vehicle care and maintenance products may be ordered via the normal Mopar Parts ordering functions on DealerCONNECT.

Mopar vehicle care and maintenance products are stocked at Mopar Parts Distribution Centers (PDC).

DEPARTMENT OF TRANSPORTATION REQUIREMENTS

The U.S. Department of Transportation (DOT) strictly regulates the packaging, labeling and shipping of hazardous materials that are transported via ground or air. Particular restrictions are placed on hazardous materials that can be shipped via air. DOT federal regulations found at 49 CFR Part 172 Subpart H provide that you or your employees are required to receive INITIAL (within 90 days of beginning employment) and RECURRING (minimum of at least once every 3 years) hazardous materials training IF you meet the following criteria:

- If you or any employee ever work in an area involved with the shipping or receiving of hazardous materials or work in the hazardous materials handling area
- If you or any employee are ever involved in any aspect of transporting hazardous materials by ground or air
- If you or any employee are involved with preparing hazardous materials for transport

Mopar recognizes that hazardous materials pose a risk to health, safety and the environment when being transported. Mopar strictly complies with all DOT Hazardous Materials Regulations (HMR) to ensure both a high level of security and employee safety when shipping our products. Mopar's commitment to HMR compliance includes providing the appropriate packaging and labeling to ensure proper shipping of our products.

It is important that you understand your responsibilities as an employer/shipper and the consequences of failing to comply with federal DOT Hazardous Materials Regulations when shipping or returning vehicle parts and maintenance products to Mopar. By strictly adhering to HMR requirements, you will be able to safely and properly ship any returned parts or maintenance products to Mopar.

For more information on compliance requirements, please visit the DOT Web site at: <http://hazmat.dot.gov>.

MATERIAL SAFETY DATA SHEETS

The Federal Hazard Communication Standard and many state regulations require that Material Safety Data Sheets (MSDS) be readily available for all applicable products to users of those products. The MSDS provides detailed health, handling and safety information on the particular product.

DealerCONNECT ACCESS TO MATERIAL SAFETY DATA SHEETS

DealerCONNECT Interactive Access to Material Safety Data Sheets (MSDS) allows for quick and easy retrieval of an MSDS for any potentially hazardous part. The following procedure is designed to guide you through the basic steps for interactively accessing a Material Safety Data Sheet (MSDS) through DealerCONNECT.

1. Log on to DealerCONNECT using <https://dealerconnect.chrysler.com>.
2. From the DealerCONNECT welcome screen, sign on with your Dealer ID, Password and Dealer Code. Press the **[SUBMIT]** key.
3. From the DealerCONNECT homepage, click on the **[PARTS]** tab.
4. From the Parts page, click on the **[MSDS]** link under the Reference Library.
5. Type in the Part Number on the MSDS inquiry screen and click on the **[SEARCH]** key.
6. Select the appropriate product and click on the **[DISPLAY MSDS]** key.

TO PRINT AN MSDS:

Once the MSDS is displayed, click on the **[PRINTER]** icon on the toolbar to print.

CONTROL INFORMATION

For 24-hour poison control information, call the Security Information Center **(248) 576-8888**.

CATALOG ACRONYMS

4WD	Four Wheel Drive
A/C	Air Conditioning
ATF	Automatic Transmission Fluid
C.A.R.B.	California Air Resources Board
EGR	Exhaust Gas Recirculation
Fl	Fluid
mL	Milliliter
MS	Material Standard
MSQ	Minimum Ship Quantity

OSHA	Occupational Safety & Health Administration
Oz.	Ounce
PAG	Polyalkaline Glycol
PCV	Positive Crankcase Ventilation
RTV	Room Temperature Vulcanization
SAE	Society of Automotive Engineers
TCE	Trichloroethylene
UV	Ultraviolet
VOC	Volatile Organic Compound

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
AIR CONDITIONING			
1234YF A/C Refrigerant	400 Oz	68725956AA	9
1234YF A/C Refrigerant	160 Oz.	68224028AB	9
A/C Compressor Oil	7.1 Oz.	68232939AB	8
A/C Compressor Oil POE Type	250 mL Can	68453175AA	8
Cooling Coil Cleaner	8 Oz.	05170022AB	9
Cooling Coil Coating	8 Oz.	04728942AC	9
Electric A/C Compressor Oil	4.2 Oz.	68192413AB	8
ND-11 A/C Compressor Oil POE Type	250 mL	68043289AB	8
ND-OIL 8 A/C Compressor Oil PAG Type	250 mL	82300102AC	8
ND-OIL 12 A/C Compressor Oil	210 mL	68224150AB	9
R-134A A/C Refrigerant	30 Lb.	82300101AC	9
RL-897 A/C Compressor Oil POE Type	210 mL	68170681AB	8
SP-15 A/C Compressor Lubricant	250 mL	04886129AB	8
VC-PAG 46 A/C Compressor Lubricant	7 Oz.	05114554AD	9
ASSEMBLY & REPAIR			
Anti-Squeak Tape		05019054AA	11
Black Corrosion Resistant Protectant	4 Fl. Oz.	68317791AA	11
Cavity Wax Kit	31 Oz.	68042969AB	10
Cavity Wax Kit Refill	31 Oz.	68042970AB	10
Electrical Contact Cleaner	9.7 Oz.	05018045AC	10
Flock Tape		68230057AB	11
Foam Tape		05019056AA	11
Foam Tape		05019057AA	11
Foam Tape		05019058AA	11
Gear Marking Compound	4 Fl. Oz.	04883065AB	10
Gel Pack Rain Sensor		68224945AA	11
Grease Lubricant		05019060AC	11
MP-50	9 Oz.	04549626AD	10
Nickel Anti-Seize Lubricant	8 Oz.	05012249AC	11
Oil Lubricant		05019059AC	11
Rear Window Defogger Repair Kit	1.5 Gram Kit	04549275AB	11
Rust Penetrant	10.8 Oz.	04318039AE	10
Undercoat Kit	31 Oz.	68042967AB	10
Undercoat Kit Refill	31 Oz.	68042968AB	10
COOLANT			
IAT FAMILY			
Antifreeze/Coolant 3-Year Formula — Embittered	1 Gal.	04267020AD	14
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Half Pallet	68002827AC	14
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Pallet	04762648AC	14
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Drum	68002825AC	14
HOAT FAMILY			
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	1 Gal.	68051212AC	14
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Half Pallet	68051217AC	14
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Pallet	68051216AC	14
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Drum	68051218AB	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	1 Gal.	68048953AC	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Half Pallet	68051215AC	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Pallet	68051213AC	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Drum	68051214AB	14

ITEM	SIZE	PART NUMBER	PAGE NO.
COOLANT (Continued)			
OAT FAMILY			
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	1 Gal.	68163849AB	15
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Half Pallet	68306482AB	15
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Pallet	68306473AB	15
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Drum	68140973AA	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	1 Gal.	68163848AB	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Half Pallet	68306483AB	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Pallet	68306476AB	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Drum	68140983AA	15
POAT FAMILY			
55/45 Premixed Extended Life	1 Gal.	68334695AA	15
COOLANT SYSTEM TREATMENTS			
Cooling System Flush	22 Oz. Bottle	04856977AC	16
Radiator Cleaner	12 Oz. Bottle	68716975AA	16
Stop Leak Pellets		04318005	16
Water Pump Lubricant	12 Oz. Bottle	68029698AC	16
DIESEL FLUIDS			
DEF Nozzles	1 and 2.5 Gal.	68461587AA	17
Diesel Exhaust Fluid	55 Gal. Drum	68035700AC	17
Diesel Exhaust Fluid (DEF)	1 Gal.	68035704AC	17
Diesel Exhaust Fluid (DEF)	2.5 Gal.	68056278AC	17
Diesel Exhaust Fluid (DEF)	20 2.5 Gal. Bottle Pallet	68441881AA	17
Diesel Turbocharger Cleaner	14 Oz. Aerosol Can	68044565AB	17
EGR System Cleaner	1L Bottle (33.8 Oz.)	68028729AB	17
ENGINE OILS			
Mopar SAE 0W-20 Engine Oil	1 Qt.	68523994AA	21
Mopar SAE 0W-20 Engine Oil	5L	68218951AC	21
Mopar SAE 0W-20 Engine Oil	1 Qt. Pallet (195)	68524969AA	21
Mopar SAE 0W-20 Engine Oil	1 Qt. Pallet (1,050)	68524972AA	21
Mopar SAE 0W-30 Engine Oil	1 Qt.	68523988AA	21
Mopar SAE 5W-20 Synthetic Blend Engine Oil	1 Qt.	68518202AA	21
Mopar SAE 5W-20 Synthetic Blend Engine Oil	5L	68218891AC	21
Mopar SAE 5W-20 Synthetic Blend Engine Oil	1 Qt. Pallet (1,050)	68524961AA	21
Mopar SAE 5W-20 Synthetic Blend Engine Oil	5L Pallet (195)	68524956AA	21
Mopar SAE 5W-30 Synthetic Blend Engine Oil	1 Qt.	68518204AA	21
Mopar SAE 5W-30 Synthetic Blend Engine Oil	5L	68518205AA	21
Mopar SAE 5W-30 Synthetic Blend Engine Oil	1 Qt. Pallet (1,008)	68218923AC	21
Mopar SAE 5W-30 Synthetic Blend Engine Oil	5L Pallet (195)	68524957AA	21
Mopar SAE 5W-40 Engine Oil	1 Qt.	68231020AA	22
Mopar SAE 5W-40 Engine Oil	5L	68231021AA	22
Mopar SAE 10W-30 Engine Oil	1 Qt.	68524000AA	22
Mopar SAE 10W-30 Engine Oil	5L	68218931AC	22
Mopar SAE 10W-30 Engine Oil	220 Qt. Drum	68524134AA	22
Mopar SAE 10W-30 Engine Oil	1 Qt. Pallet (1,050)	68524968AA	22
Mopar SAE 10W-30 Engine Oil	5L Pallet (195)	68524960AA	22
Mopar SAE 15W-40 Engine Oil	1 Qt.	68218940AD	22

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
ENGINE OILS (Continued)			
Mopar SAE 15W-40 Engine Oil	5L	68218941AC	22
Mopar SAE 15W-40 Engine Oil	1 Qt. Pallet (1,050)	68218943AD	22
Mopar SAE 15W-40 Engine Oil	5L Pallet (195)	68218944AB	22
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	1 Qt.	68523985AA	24
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	Ecobox™	68524007AA	20
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	220 Qt. Drum	68524135AA	24
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68524970AA	24
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	220 Qt. Drum	68524118AA	25
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68524962AA	25
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	220 Qt. Drum	68524121AA	25
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68524966AA	25
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt.	68523981AA	25
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	Ecobox™	68524011AA	20
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	1 Qt.	68523971AA	25
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	Ecobox™	68524010AA	20
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	1 Qt.	68523969AA	25
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	Ecobox™	68524002AA	20
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	220 Qt. Drum	68524131AA	25
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68524971AA	25
Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	1 Qt.	68524015AA	25
Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68524976AA	25
Pennzoil SAE 5W-20 Synthetic Blend Engine Oil	1 Qt.	68524004AA	24
Pennzoil SAE 5W-20 Synthetic Blend Engine Oil	220 Qt. Drum	68524127AA	24
Pennzoil SAE 5W-20 Synthetic Blend Engine Oil	1 Qt. Pallet (1,008)	68524981AA	24
Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	1 Qt.	68523989AA	24
Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	5.1 Qt. Bottle	68524003AA	24
Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	220 Qt. Drum	68524125AA	24
Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	1 Qt. Pallet (1,050)	68524974AA	24
Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	5.1 Qt. Pallet (195)	68524985AA	24
Pennzoil SAE 10W-30 Engine Oil	1 Qt.	68523995AA	24
Pennzoil SAE 10W-30 Engine Oil	5.1 Qt. Bottle	68524016AA	24
Pennzoil SAE 10W-30 Engine Oil	220 Qt. Drum	68524136AA	24
Pennzoil SAE 10W-30 Engine Oil	1 Qt. Pallet (1,050)	68524979AA	24
Pennzoil SAE 10W-30 Engine Oil	5.1 Qt. Pallet (195)	68524986AA	24
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	1 Qt.	68523970AA	24
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	220 Qt. Drum	68524116AA	24
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68524965AA	24
Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt.	68001334PD	24

ITEM	SIZE	PART NUMBER	PAGE NO.
ENGINE OILS (Continued)			
Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68001335PC	24
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Qt.	68024966PD	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Gal.	68024967PC	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	220 Qt. Drum	68044417PC	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Qt. Pallet (1,050)	68024968PE	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	42 Gal. Pallet	68321503PC	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	240 Gal. Pallet	68024969PC	23
Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	1 Gal.	68438447PA	23
Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	5 Gal. Pallet	68492707AA	23
Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	220 Qt. Drum	68440571PA	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt.	68001332PC	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	Ecobox™	68218066AB	20
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Gal.	68171006PB	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	220 Qt. Drum	68147411PB	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt. Pallet (240)	68374066PA	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt. Pallet (750)	68001333PD	23
FUEL CLEANERS			
Air Intake & Throttle Body Cleaner	10 Oz. Aerosol Can	68628279AA	26
Air Intake & EGR Cleaner	12 Oz. Bottle	68628281AA	26
A/C Evaporator Cleaner	8 Oz. Aerosol Can	68621500AA	26
Combustion Chamber Cleaner	13 Oz.	04318001AE	27
Diesel EGR System Cleaner	1 Qt.	68716979AA	27
Diesel Fuel System Cleaning Kit	Kit	68629555AA	26
Fuel Injector & Combustion Chamber Cleaner	12 Oz. Bottle	68628280AA	27
Major Induction Fuel Kit	Kit	68621326AA	26
Premium Diesel Fuel System Cleaner	12 Oz.	68621490AA	27
Premium Diesel Fuel Treatment	12 Oz.	68621344AA	27
Premium Fuel System Cleaner	12 Oz.	68628278AA	27
Premium Fuel System Cleaning Kit	Kit	68621322AA	26
Throttle Body Cleaner	13 Oz.	04897156AD	27
GEAR & AXLE LUBRICANTS			
C Series DDCT SAE 75W Hydraulic Fluid	1 Qt.	68092638AB	30
C Series Manual & Dual Dry Clutch Transmission Fluid	1 Qt.	68092630AA	32
C Series Manual & Dual Dry Clutch Transmission Fluid	1 Gal.	68092636AA	32
Dry Clutch Transmission Fluid SAE 75W-85	1 Qt.	68256847AA	32
Front Axle Power Transfer Unit Lubricant SAE 75W-90	1 Qt.	68280932AA	28
Gear & Axle Lubricant SAE 80W-90	1 Qt.	68218041AB	28
Gear Lubricant SAE 90	1 Qt.	05136033AC	30
Hypoid Gear Lubricant SAE 75W-80	1 Qt.	68339072AA	28
Limited Slip Additive	4 Oz.	04318060AS	32
Limited Slip Differential Axle Lubricant Synthetic SAE 75W-85	1 Qt.	68232948AB	29
Long Life Hypoid Gear Oil SAE 75W-85	1 Qt.	68333589AA	30
Manual Transaxle and Quadra-trac Lubricant	1 Qt.	04874465	30

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
GEAR & AXLE LUBRICANTS (Continued)			
Manual Transmission Lubricant	1 Qt.	04874464AC	30
Multi Axle Lubricant SAE 75W-85	1 Qt.	68364258AA	28
Open Differential Axle Lubricant Synthetic SAE 75W-85	1 Qt.	68232947AB	29
Ram 1500 2017+ Rear Axle Lubricant SAE 75W-90	1 Qt.	68340460AA	31
Rear Axle Differential Module Lubricant SAE 75W-90	1 Qt.	68280933AA	28
Rear Axle Lubricant SAE 75W-85	1L	68083381AA	28
Rear Axle Lubricant SAE 75W-85	1L	68449546AA	28
Rear Axle Lubricant SAE 75W-140	1 Qt.	68449547AA	29
Single Speed Transmission Fluid	1 Qt.	68210514AB	32
Synthetic Axle Lubricant SAE 75W-85	1 Qt.	68210057AB	29
Synthetic Axle Lubricant SAE 75W-85	1 Qt.	05136035AC	30
Synthetic Gear & Axle Lubricant SAE 75W-140	1 Qt.	68218657AB	29
Synthetic Gear & Axle Lubricant SAE 75W-85	1 Qt.	68378949AA	30
Synthetic Gear & Axle Lubricant SAE 75W-90	1 Qt.	68218655AC	29
Synthetic Hydraulic Control Fluid	1 Qt.	68227766AB	32
Synthetic Manual Transmission Lubricant SAE 75W-85	1 Qt.	04874459	32
Synthetic Gear & Axle Lubricant SAE 75W-90	1 Qt.	68218654AB	30
Transfer Case Lubricant	1 Qt.	05016796AC	31
Transfer Case Lubricant for BorgWarner 44-45, 44-46, 44-47, 44-48 and Pre-2016 44-44	1 Qt.	68089195AA	31
Transfer Case Lubricant for BorgWarner 44-40 and 2016+ 44-44	1L	68049954AC	31
Transfer Case Lubricant NV146	1 Qt.	68001758AB	31
Transfer Case Lubricant NV246	1.004 Qt. (950 mL)	05179014AA	31
Transfer Case Lubricant SAE 75W	1 Qt.	68377611AA	31
Vitamol ZH-M Hydraulic Fluid	16.9 Oz.	68035321AB	32
LEAK DETECTION			
4-in-1 Leak Detection Dye	1/4 Fl. Oz.	05010042AC	33
ICE A/C Leak Detection Dye	1/4 Fl. Oz. Bottle	04798219AD	33
EV A/C Leak Detection Dye	1/4 Fl. Oz. Bottle	68676852AA	33
LUBRICANTS & GREASE			
Brake & Suspension Grease	0.88 Oz. Tube	05019061AB	35
Brake Lubricant	1.76 Oz. Tube	04796269AB	35
Bushing Grease	2 Oz. Tube	68028730AA	35
Coil Dielectric Grease	2 Oz. Tube	68364292AA	35
Dielectric Grease	2 Oz. Tube	J8126688AB	35
Half Shaft Grease	4.93 Oz. Tube	68194558AA	34
Liquid Gasket for MMC	3 Oz.	MD974421	36
Multi-Mileage Lube	14.5 Oz. Cartridge	04897841AB	34
Multi-Purpose Grease	3 Oz.	05083160AA	36
Multi-Purpose Grease	14.5 Oz. Cartridge	05083150AA	34
Nye Dielectric Grease	2 Oz.	05013781AA	36
Nye Synthetic Lubricant	1 Oz. Tube	05018626AA	36
Output Shaft Assembly Lubricant	1.76 Oz. Tube	68002256AB	35
P-80 Grip-It Lubricant	10 mL Tube	68425736AA	36
Rubber Bushing Installation Lube	4 Oz. Can	05010319AB	34
Silicone Spray Lube	12 Oz. Aerosol Can	04318070AE	34
Spray White Lube Lithium Grease	12 Oz. Aerosol Can	04318066AE	34
Weatherstrip Lubricant	1 Oz. Bottle	04773427AB	36
Wheel Bearing Grease	1 Lb. Tub	05083149AA	34
MASTER SHIELD			
Fabric Protector – Solvent-Based	16 FL Oz. (473 mL) Bottle	82212076AB	37
Fabric Protector – Solvent-Based	Bulk	68468179AA	37

ITEM	SIZE	PART NUMBER	PAGE NO.
MASTER SHIELD (Continued)			
Fabric Protector – Solvent-Based	5-Gallon Pail	82203694AC	37
Fabric Protector – Water-Based	16 FL Oz. (473 mL) Bottle	82213192AB	37
Fabric Protector – Water-Based	Bulk	68468180AA	37
Fabric Protector – Water-Based	5-Gallon Pail	82213193AB	37
Leather and Vinyl Protector	4 FL Oz. (118 mL) Bottle	82212077AB	37
Leather and Vinyl Protector	Bulk	68468177AA	37
Paint Sealant	3.5 FL Oz. (103.5 mL) Bottle	82212075AB	37
Paint Sealant	Bulk	68468176AA	37
Paint Sealant	5-Gallon Pail	82203693AC	37
Rust Inhibitor	31 FL Oz. (916 mL) Bottle	82212074AB	37
Rust Inhibitor – Wisconsin only	31 FL Oz. (916 mL) Bottle	82212089AB	37
Rust Inhibitor	Bulk	68468170AA	37
Rust Inhibitor – Wisconsin only	Bulk	68468181AA	37
Undercoat – Solvent-Based	40 FL Oz. (1.18 L) Bottle	82212078AB	37
Undercoat	Bulk	68468175AA	37
Undercoat – Water-Based	Drum	82214572AB	37
POWER STEERING & BRAKE FLUIDS			
Brake & Clutch Fluid DOT 4 Motor Vehicle	12 Oz. Bottle	04549625AF	38
Brake Fluid DOT 3 Motor Vehicle	12 Oz. Bottle	04318080AD	38
Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	15 Oz. Aerosol Can	68621515AA	39
Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	15 Oz. Aerosol Can	68621515GA	39
Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	Half Pallet	68628049AA	39
Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	Full Pallet	68628050AA	39
Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	55 Gallon Drum	68634279AA	39
Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	55 Gallon Drum	68634278AA	39
Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	15 Oz. Aerosol Can	68621516AA	39
Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	Half Pallet	68628052AA	39
Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	Full Pallet	68628053AA	39
Electric Steering Pump Fluid	1 Pint (16 Oz.)	68088485AB	38
Hydraulic System Power Steering Fluid	1 Qt.	68234631AB	38
Power Steering Fluid +4	1 Qt. Bottle	68218064AC	38
SEALANTS & ADHESIVES			
ATF-RTV	3 Oz. Tube	05010884AD	39
Axle RTV	3 Oz. Tube	05013477AD	39
Bed Plate Sealant	50 mL Tube	04773257	40
Bond-All Gel	.06 Oz. Tube	04467709AB	41
Butyl Tape (ROPE)	15' Roll	04076274AB	40
Engine Sealant RTV Silicone Rubber Adhesive	3 Oz. Tube	04883971AC	39
Gasket Maker	50 mL Tube	04318083AC	40
Gasket Sealant	9 Oz. Aerosol Can	04318035AC	40
Hylomar Gasket Dressing/Flange Sealant	1.2 Oz. Tube	05127819AA	40
Lock & Seal Adhesive	6 mL Tube	04318031AB	41
Loctite SI 598 Flange Sealant		68089566AA	42
Rear View Mirror Adhesive	Kit: 0.3 mL Adhesive 0.6 mL Activator	05015983AD	41
RTV Sealant	5 Oz. Bottle	68379579AA	39
RTV Silicone Rubber Adhesive	2.6 Oz. Tube	68119754AA	39
Silicone Rubber RTV	3 Oz. Tube	82300234AC	40
Silicone Windshield & Glass Sealer	1.5 Oz. Tube	04467708	41
Stud N' Bearing Mount Adhesive	6 mL Tube	04318032	41
Thread Sealant with PTFE	6 mL Tube	04318034AC	41

ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
SEALANTS & ADHESIVES (Continued)			
Threebond 1281B Transmission Sealant	4.1 Oz. Tube	68145518AB	42
Threebond Engine RTV	5 Oz. Tube	68082860AB	19
Transfer Case Sealant	3 Oz. Tube	68384493AA	42
Urethane Adhesive	9.8 Oz. Tube	68400418AA	42
Vinyl Foam Tape	30' Roll	04318028	40
Weatherstrip Adhesive	5 Oz. Tube	04773774AC	41
Windshield Install Adhesive Package		04864015AD	41
TRANSMISSION FLUIDS			
8 & 9 Speed ATF	1L	68218925AB	12
8 & 9 Speed ATF	1 Qt. Pallet (1,050)	68218926AB	12
ASRC & Trade; ATF	1 Qt.	05189966AD	12
ASRC & Trade; ATF	1 Gal.	05189977AB	12
ASRC & Trade; ATF	1 Qt. Pallet (1,008)	05189978AA	12
ASRC & Trade; ATF	180 Gal. Pallet	05189979AA	12
ATF+4	1 Qt.	68218057AC	12
ATF+4	5L	68218058AC	12
ATF+4	1 Qt. Pallet (1,050)	68218056AD	12
ATF+4	5L Pallet (195)	68218059AC	12
CVTF+4 Transmission Fluid	1 Qt.	05191184AB	12
CVTF+4 Transmission Fluid	1 Qt. Pallet (195)	68233494AB	12
CVTF+4 Transmission Fluid	1 Qt. Pallet (1,050)	05191186AE	12
CVTF+4 Transmission Fluid	216 Gal. Pallet	05191187AA	12
DEXRON-VI Automatic Transmission Fluid	1 Qt.	68043742AB	13
Long Life Automatic Transmission Fluid DAF 6-SPD AISIN JWS3309	1 Qt.	68333587AA	13
Long Life Manual Transmission Lubricant	1 Qt.	68333586AA	13
MB236.12 Automatic Transmission Fluid	1 Qt.	05127382AB	12
MB236.12 Automatic Transmission Fluid	504 Qt. Pallet	68002823AA	12
SP-IV M Automatic Transmission Fluid	1 Qt.	68171866AB	12
SP-IV M Automatic Transmission Fluid	1 Gal.	68171869AB	12
Transmission Cooler Flush	1 Gal.	04796268AB	13
VEHICLE PREP AND DETAIL			
Battery Terminal Protector Pads	2 Pads	68048547AA	46
Car Wash Concentrate	55 Gal. Drum	68350001AB	46
Car Wash Concentrate	5 Gal. Pail (Liquid)	05013678AD	46
Car Wash Liquid Concentrate	1 Quart Bottle	68442387AA	46
Car Wash Super Concentrate	1 Gal.	05003238AD	46
Carpet Cleaner	18 Oz.	05175050AB	47
Chrome Cleaner	16 Oz. Bottle	04318013AE	43
Cigarette Odor Eliminator, Unscented	24 Oz. Spray Bottle	68441884AB	47
Cleaner Wax	16 Oz.	04796237AD	47
Convertible Cloth Top Cleaner Concentrate	16 Oz.	05012245AE	44
Convertible Cloth Top Treatment	16 Oz.	05012246AC	44
Degreaser Concentrate	1 Gal.	05003241AD	48
Engine Degreaser	12 Oz. Aerosol Can	04318040AC	44
Finish Enhancer	16 Oz.	04796238AD	47
Glass Cleaner	11 Oz. Aerosol Can	04318014AC	43
Glass Cleaner	16 Oz.	04897623AD	43
Interior Cleaner Concentrate	1 Gal.	05003240AC	48
Interior Odor Eliminator	5 Oz. Aerosol Can	68621505AA	46
Jeep Vehicle Soft Glass Window Cleaner	16 Oz. Bottle	05012248AE	44
Leather, Rubber & Vinyl Protector	16 Oz. Bottle	04318017AC	43

ITEM	SIZE	PART NUMBER	PAGE NO.
VEHICLE PREP AND DETAIL (Continued)			
Mopar Automatic Car Wash Detergent	5 Gal.	05093094AC	49
Mopar Car Care Kit	4 Oz. Spray Bottles (3)	68319193AA	47
Mopar Complete Windshield Washer Solvent	64 Oz. Bottle	68044762AB	45
Mopar FIAT Starter Kit w/Display Rack		68436632AA	50
Odor Remover	24 Oz.	05073224AC	46
Premium Windshield Washer Solvent/De-Icer	64 Oz. Bottle	05139803AB	45
Rain Repellant Windshield Washer Fluid	64 Oz. Bottle	05139804AB	45
Shop Floor Cleaner Concentrate	50 Lb.	04883968AB	49
Soft Top Zipper Cleaner & Lubricant	2 Oz. Bottle	05066440AB	44
Sunroof Track Grease	1.98 Oz. Tube	68337909AA	44
Super Kleen Bug, Tar & Spot Remover	16 Oz. Bottle	04886330AE	43
Tire & Wheel Cleaner	24 Oz.	05066247AE	46
Tire & Wheel Cleaner	5 Gal. Pail	05066248AD	46
Tire Cleaner Concentrate	1 Gal.	05003239AC	48
Tire Sealant		68400709AA	54
Tire Sealant		68316717AB	54
Tire Sealant		68320204AA	54
Tire Service Kit		05181361AE	54
Tire Service Kit		68417610AA	54
Tire Treatment	16 Oz.	04796240AD	47
Total Clean	16 Oz.	04897840AD	47
Total Clean	1 Gal.	04318020AE	47
Touch-Up Paint Assortment Kit w/Display Rack		68565407AA	50
Touch-Up Paint Display Rack		68290303AA	50
Wheel Touch-Up Paint Kit		68441921AA	51
Whitewall & Vinyl Top Cleaner	16 Oz.	04856593AC	44
Windshield Washer Solvent	16 Oz.	04318067AC	45
Windshield Washer Solvent	1 Qt.	04318068AC	45
Windshield Washer Solvent	55 Gal. Drum	68040095AC	45

AIR CONDITIONING



ND-OIL 8 A/C COMPRESSOR OIL PAG TYPE

250 mL Can
MSQ: 1 Can
Part No. 82300102AC /
AIR90021**



RL-897 A/C COMPRESSOR OIL POE TYPE

Formulated for use in certain
piston type and electrically
driven compressors.
210 mL Can
MSQ: 1 Can
Part No. 68170681AB /
AIR90021**



A/C COMPRESSOR OIL POE TYPE

250 mL Can
MSQ: 1 Can
Part No. 68453175AA /
AIR90021**



ND-11 A/C COMPRESSOR OIL POE TYPE

Formulated for use only in
electrically driven compressors.
250 mL Can
MSQ: 1 Can
Part No. 68043289AB /
AIR90021**



A/C COMPRESSOR OIL

Formulated to lubricate specific automotive
air conditioning systems.
7.1 Oz. Can
MSQ: 1
Part No. 68232939AB / AIR90021**



ELECTRIC A/C COMPRESSOR OIL

Synthetic POE lubricant formulated
to be used in electric air conditioner
compressors. Do not mix with other
type of compressor lubricants.
4.2 Oz. Can
MSQ: 1 Can
Part No. 68192413AB
MS-12727



SP-15 A/C COMPRESSOR LUBRICANT

250 mL Can
MSQ: 1 Can
Part No. 04886129AB / AIR90021**
MS-9176

**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

AIR CONDITIONING



ND-OIL 12 A/C COMPRESSOR OIL

Formulated for use in automotive air conditioning systems using R-1234YF refrigerants.

210 mL Can

MSQ: 1 Can

Part No. 68224150AB



R-134A A/C REFRIGERANT

Convenient 30 lb. non-returnable container.

30 lb. Cylinder

MSQ: 30 (unit of measure represents lbs.)

Part No. 82300101AC / ROB34788N1**

MS-50039



1234YF A/C REFRIGERANT

New air conditioning refrigerant for use in vehicles equipped with the 1234YF systems.

Net weight 25 lbs. (11.34kg) Cylinder

MSQ: 400 Oz.

Part No. 68725956AA

MS-50034

Net Weight 10 lbs. (4.5kg) Cylinder

MSQ: 160 Oz.

Part No. 68224028AB / RTIACX1280M**

MS-50034



VC-PAG 46 A/C COMPRESSOR LUBRICANT

Specifically intended for use in Visteon air conditioning compressors.

7 Oz. (210 mL) Per Can

MSQ: 7 Cans

Part No. 05114554AD / AIR90021**



COOLING COIL COATING

Provides a durable coating to the air conditioning evaporator to reduce or eliminate odors.

8 Oz. Bottle

MSQ: 6 Bottles

Part No. 04728942AC / AIR62644**



COOLING COIL CLEANER

Heavy-duty, fast-acting cleaner. Removes dirt and odor-causing organic matter. Biodegradable, safe on automotive surfaces.

8 Oz. Bottle

MSQ: 12 Bottles

Part No. 05170022AB / AIR62644**

 **Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

ASSEMBLY & REPAIR



CAVITY WAX KIT

Custom installation kit includes one flexible direct spray wand, one flexible fan spray wand, one rigid fan spray wand, and two bottles of cavity wax.

31 Oz. Container

MSQ: 1 Kit

Part No. 68042969AB

CAVITY WAX KIT REFILL

To maintain the integrity of the repair following any welding or repairs where metal is exposed.

31 Oz. Container

MSQ: 4 Bottles

Part No. 68042970AB / TOOL IS PROVIDED IN KIT P/N 68042969AB**



UNDERCOAT KIT

Kit includes air undercoating gun and two 31 oz. bottles of undercoat mixture.

31 Oz. Container

MSQ: 1 Kit

Part No. 68042967AB

UNDERCOAT KIT REFILL

Refill kit of four 31 oz. bottles of undercoat mixture.

31 Oz. Container

MSQ: 4 Bottles

Part No. 68042968AB / TOOL IS PROVIDED IN KIT P/N 68042967AB**



ELECTRICAL CONTACT CLEANER

Cleans and loosens any oxidation deposits from all kinds of electrical terminals, connectors or contacts. Removes oxide and sulphide deposits, residue, resin, oil or dirt. Eliminates distortion and the occurrence of unreliable resistance or cracking noises. Safe for use on automotive circuit boards. Specify non-chlorinated.

9.7 Oz. Aerosol Can

MSQ: 12 Cans

Part No. 05018045AC



RUST PENETRANT

Superior formula to loosen virtually all rusted and corroded parts. Excellent heat valve solvent.

10.8 Oz. Aerosol Can

MSQ: 12 Cans

Part No. 04318039AE

MS-3613



MP-50

Displaces moisture from wet ignition system and leaves a moisture-resistant barrier. Penetrates metal fittings to ease disassembly and provides short-term rust prevention and protection.

9 Oz. Aerosol Can

MSQ: 12 Cans

Part No. 04549626AD



GEAR MARKING COMPOUND

Brightly colored gear marking compound to aid in assembly and adjustment of ring and pinion preload or lash. Convenient brush-top can.

4 Fl. Oz. Can

MSQ: 1 Can

Part No. 04883065AB

**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

ASSEMBLY & REPAIR



NICKEL ANTI-SEIZE LUBRICANT

Nickel-graphite lubricant prevents corrosion and eliminates galling. Use on oxygen sensors, EGR bolts, manifold/turbocharger studs and spark plug threads. Withstands temperatures up to 2,600°F and will not wash off.

8 Oz. Bottle

MSQ: 1 Bottle

Part No. 05012249AC



REAR WINDOW DEFOGGER REPAIR KIT

A one-step, air curable silver coating that quickly repairs broken or cracked rear defogger electric grids. Kit contains silver compound, brush, template and instruction sheet.

1.5 Gram Kit

MSQ: 1 Kit

Part No. 04549275AB



BUZZ, SQUEAKS & RATTLES

These items may help eliminate cabin noises.

Anti-Squeak Tape

Part No. 05019054AA – MSQ: 24

Flock Tape –

Part No. 68230057AB – MSQ: 4

Foam Tape –

Part No. 05019056AA – MSQ: 24,

Part No. 05019057AA – MSQ: 24,


Part No. 05019058AA – MSQ: 24

Oil Lubricant –

Part No. 05019059AC – MSQ: 1

Grease Lubricant –

Part No. 05019060AC – MSQ: 1




GEL PACK RAIN SENSOR

The Light Rain Sensor Module (LRSM) is equipped with a clear, silicone gelatin (SilGel) adhesive membrane that serves as an optical coupler between the sensor and the windshield glass. The membrane should only come into contact with the clean and dry inside surface of the glass within the mounting bracket bonded to the windshield. Use **EXTREME CARE WHEN INSTALLING**. Do not touch the membrane with your fingers or tools.

Sealed Package

MSQ: 1

Part No. 68224945AA



BLACK CORROSION RESISTANT PROTECTANT

Formulated as a low VOC, fast-drying water-based corrosion resistant coating. Designed to protect metal substrates at low coating thickness.

4 Fl. Oz. (118 mL)

MSQ: 1

Part No. 68317791AA

TRANSMISSION FLUIDS



8 & 9 SPEED ATF

Formulated as a high-quality fluid specifically for the ZF 8HP45 & ZF 9HP45 transmission used in FCA US LLC vehicles. Ensures smooth and quiet operation. Provides superior lubrication to reduce wear. Meets ZF specifications.

1 Liter Bottle MSQ: 6
Part No. 68218925AB

1,050 Quart Pallet MSQ: 1
Part No. 68218926AB



ATF+4*

The approved automatic transmission fluid for all vehicles factory filled with ATF+4.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68218057AC

5L Bottle MSQ: 3
Part No. 68218058AC

1,050 Quart Pallet MSQ: 1
Part No. 68218056AD

195 5L Bottle Pallet MSQ: 1
Part No. 68218059AC
MS-9602



SP-IV M AUTOMATIC TRANSMISSION FLUID

This ATF is specifically designed and approved for use in the 6-speed automatic Powertech transmission for front-wheel drive or all-wheel drive FCA US LLC vehicles (only transverse engine layout). Controls oxidation and minimizes the formation of deposits.

1 Quart (32 Oz.) Bottle MSQ: 12
Part No. 68171866AB

1 Gallon Bottle MSQ: 4
Part No. 68171869AB



ASRC & TRADE; ATF

Formulated as an exceptionally high-performance lubricant for use in AS68RC and AS69RC slip-controlled lock-up automatic transmissions. Recommended for use in transmissions made by Aisin-Seiki requiring Type T-IV fluids. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle MSQ: 12
Part No. 05189966AD

1 Gallon Bottle MSQ: 4
Part No. 05189977AB

1,008 Quart Pallet MSQ: 1
Part No. 05189978AA

180 Gallon Pallet MSQ: 1
Part No. 05189979AA



CVTF+4 TRANSMISSION FLUID

Mopar® CVT fluid is specially formulated for continuously variable transmission in PM/MK body.

1 Quart (32 Oz.) Bottle MSQ: 12
Part No. 05191184AB

1,050 Quart Pallet MSQ: 1
Part No. 05191186AE

195 Gallon Pallet MSQ: 1
Part No. 68233494AB

216 Gallon Pallet MSQ: 1
Part No. 05191187AA



MB236.12 AUTOMATIC TRANSMISSION FLUID

This fluid is specifically designed for Chrysler Crossfire and Dodge Sprinter automatic transmissions. Not intended for use in power steering systems or other FCA US LLC transmissions. Meets MB236.12.

1 Quart (32 Oz.) Bottle MSQ: 12
Part No. 05127382AB

504 Quart Pallet MSQ: 1
Part No. 68002823AA



**Tooling part number. Available through Mopar Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

*ATF+4 products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code MDQ to purchase Mopar branded drum ATF+4.

TRANSMISSION FLUIDS



DEXRON®-VI AUTOMATIC TRANSMISSION FLUID

For use only in Chrysler Hybrid Electric Vehicle (HEV) transmissions. Controls oxidation and helps reduce formation of deposits.

1 Quart (32 Oz.) Bottle MSQ: 12
Part No. 68043742AB



LONG LIFE AUTOMATIC TRANSMISSION FLUID DAF 6-SPD AISIN JWS3309

Formulated for 6-speed automatic transmissions to protect against rusting, corrosion and foaming. Viscosity stability helps ensure adequate lubrication without excessive thinning in severe high-temperature operation or thickening at low starting temperatures.

1 Quart (32 Oz.) Bottle
 MSQ: 2 Bottles
Part No. 68333587AA



TRANSMISSION COOLER FLUSH

For back-flushing ATF cooler and lines. Dissolves and flushes unwanted particles in transmission system. Does not foam up and is compatible with transmission cooler system components.

1 Gallon Bottle
 MSQ: 6 Bottles
Part No. 04796268AB
 MS-552



LONG LIFE MANUAL TRANSMISSION LUBRICANT SAE 75W-90

This lubricant is formulated to provide smooth shifting for 6-speed manual transmissions. Helps ensure viscosity stability and adequate lubrication without excessive thinning in severe high temperature operation or thickening at low starting temperatures. It meets SAE 75W-90, API GL-4 and 9.55550-DA specifications.

1 Quart (32 Oz.) Bottle MSQ: 1
Part No. 68333586AA

COOLANT

IAT FAMILY



ANTIFREEZE/COOLANT 3-YEAR FORMULA — EMBITTERED

Ethylene glycol-based three-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with three-year coolant.

1 Gallon Bottle
MSQ: 6 Bottles
Part No. 04267020AD

Gallon Half Pallet
MSQ: 108
Part No. 68002827AC

Gallon Pallet
MSQ: 216
Part No. 04762648AC

Gallon Drum
MSQ: 2 Drums (110 Gallons)
Part No. 68002825AC / SMNWF1**
MS-7170

HOAT FAMILY



50/50 PREDILUTED ANTIFREEZE/COOLANT 5-YEAR/100,000-MILE — EMBITTERED

Do not add water. Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/100,000-mile coolant.

1 Gallon Bottle
MSQ: 6 Bottles
Part No. 68051212AC

Gallon Half Pallet
MSQ: 108
Part No. 68051217AC

Gallon Pallet
MSQ: 216
Part No. 68051216AC

Gallon Drum
MSQ: 2 Drums (110 Gallons)
Part No. 68051218AB / SMNWF1**
MS-9769G



CONCENTRATE ANTIFREEZE/COOLANT 5-YEAR/100,000-MILE — EMBITTERED

Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/100,000-mile coolant.

1 Gallon Bottle
MSQ: 6 Bottles
Part No. 68048953AC

Gallon Half Pallet
MSQ: 108
Part No. 68051215AC

Gallon Pallet
MSQ: 216
Part No. 68051213AC

Gallon Drum
MSQ: 2 Drums (110 Gallons)
Part No. 68051214AB / SMNWF1**
MS-9769G

**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

COOLANT

OAT FAMILY



50/50 PREDILUTED ANTIFREEZE/COOLANT 10-YEAR/150,000-MILE

Do not add water. Ethylene glycol-based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Acid Technology). Developed for new vehicle technologies.

1 Gallon Bottle
MSQ: 4 Bottles
Part No. 68163849AB
MS-12106

Gallon Half Pallet
MSQ: 84
Part No. 68306482AB

Gallon Pallet
MSQ: 168
Part No. 68306473AB

Gallon Drum
MSQ: 55
Part No. 68140973AA*
/ SMNWF1**



CONCENTRATE ANTIFREEZE/COOLANT 10-YEAR/150,000-MILE

Ethylene glycol-based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Acid Technology). Developed for new vehicle technologies.

1 Gallon Bottle
MSQ: 4 Bottles
Part No. 68163848AB
9.555 23, MS-12106,
MS-90032

Gallon Half Pallet
MSQ: 84
Part No. 68306483AB

Gallon Pallet
MSQ: 168
Part No. 68306476AB

Gallon Drum
MSQ: 55
Part No. 68140983AA*
/ SMNWF1**

*Coolants are interchangeable

POAT FAMILY



55/45 PREMIXED EXTENDED LIFE

5-year, green-colored coolant formulated as an ethylene glycol-based product for long-lasting protection. Developed to provide corrosion and rust protection for aluminum and all other cooling system components. Requires no additional corrosion inhibitors and provides year-round protection. For use in FIAT® 124 Spider only.

1 Gallon Bottle
MSQ: 1
Part No. 68334695AA

 **Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



COOLANT

COOLANT SYSTEM TREATMENTS



COOLING SYSTEM FLUSH

Dissolves oil and sludge from cooling system while removing scale and rust from components. Does not foam and is compatible with all aluminum components.

22 Oz. Bottle

MSQ: 12 Bottles

Part No. 04856977AC



RADIATOR CLEANER

Cleans the entire cooling system to help remove scale, rust and other deposits.

- Maximizes coolant performance and service life
- Universal product
- Safe for all cooling systems

12 Oz. Bottle

MSQ: 12 Bottles

Part No. 68716975AA



WATER PUMP LUBRICANT

Formulated to help prevent rust and corrosion while lubricating the water pump. This is compatible with the 5-year/100,000-miles coolant, HOAT. It is not compatible with the 10-year/150,000-mile coolant, OAT.

12 Oz. Bottle

MSQ: 12 Bottles

Part No. 68029698AC



STOP LEAK PELLETS

Permanently seals minor coolant leaks in radiator, block, head gasket or hose connections. Approved for all types of coolant.

MSQ: 24

Part No. 04318005

MS-3417

DIESEL FLUIDS

Federal emission standards for many diesel vehicles, including all 2011 and later Ram 3500/4500/5500 Diesels, require a new chemical to operate.

DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

DIESEL EXHAUST FLUID

55 Gallon Drum
MSQ: 110 (2 Drums)
Part No. 68035700AC / JD0DEF1A**



DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

1 Gallon
MSQ: 4
Part No. 68035704AC

2.5 Gallons
MSQ: 2
Part No. 68056278AC

20 2.5 Gallon Bottle Pallet
MSQ: 1
Part No. 68441881AA
ISO 22241

DEF NOZZLES

MSQ: 24
Part No. 68461587AA

Pour spout nozzles for use with the DEF 1- and 2.5-gallon containers.



EGR SYSTEM CLEANER

For use with appropriate Service Manual cleaning procedure. Must be diluted with water.

1 Liter Bottle (33.8 Oz.)
MSQ: 6 Bottles
Part No. 68028729AB



DIESEL TURBOCHARGER CLEANER

Formulated as a non-flammable, water-based solvent for removing soot accumulation on internal diesel turbocharger exhaust components.

14 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 68044565AB

**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



**BULK
OIL**

DEALER BENEFITS OF THE MOPAR® BULK OIL (MBO) PROGRAM

- 1. MBO Quarterly Cash Back** is a quarterly rebate based on the total combined purchases of Mopar® Bulk Oil/ATF+4. MBO Rewards credit requires the dealer's retail service sales data to be extracted from the dealer's DBS and transmitted to Mopar.
- 2. Special promotions and incentives** by being enrolled in the MBO program. 2024 examples: JOIN & SAVE AND SWITCH & SAVE.
- 3. 100% interest-free funding** through Shell Lubricants for loans up to five years. These BDFs (Business Development Funds) can be used to install equipment that will help grow the dealer's Express Lane/Oil business. In addition, new eligible funding categories, including local marketing, personnel and technology expenses, have been added to the BDF funding program. For more BDF information, [CLICK HERE](#) or contact MBO headquarters at 800-352-2174.
- 4. MBO dealers earn 2% - 4%** Parts Return Allowance on Bulk Oil purchased from Mopar.

QUARTERLY CASH BACK SCALE

500 to 999 gallons	\$0.05 per gallon
1,000 to 1,499 gallons	\$0.10 per gallon
1,500 to 2,999 gallons	\$0.15 per gallon
3,000 to 5,999 gallons	\$0.20 per gallon
6,000 to 11,999 gallons	\$0.30 per gallon
12,000 to 19,999 gallons	\$0.50 per gallon

HIGH-VOLUME QUARTERLY CASH BACK SCALE

20,000 to 34,999 gallons	\$0.60 per gallon
35,000+ gallons	\$0.70 per gallon

HOW DEALERS QUALIFY

The Mopar Bulk Oil program wants to give all FCA US dealers credit where credit is due! Qualifying dealers will need to hit a \$20 or greater ratio of oil purchased through the program to unique FCA US vehicle identification numbers (VINs).

Example 1 (QUALIFIES FOR REWARDS)

$$\begin{array}{rcccl} \text{Month 1} & \text{Month 2} & \text{Month 3} & & \\ \$3,000 & \$4,000 & (\text{Current Month}) & & \\ \hline & 500 & \$3,000 & = & \frac{\$10,000}{500} = \$20 \\ \text{(Prior 3 months unique FCA US VINs)} & & & & \end{array}$$

If a dealer purchases \$3,000 for the current month, \$7,000 for the prior two months and services 500 unique FCA US vehicles, the calculation of \$20 meets the \$20 minimum threshold per VIN.

Example 2 (DOES NOT QUALIFY FOR REWARDS)

$$\begin{array}{rcccl} \text{Month 1} & \text{Month 2} & \text{Month 3} & & \\ \$2,500 & \$2,500 & (\text{Current Month}) & & \\ \hline & 750 & \$2,500 & = & \frac{\$7,500}{750} = \$10 \\ \text{(Prior 3 months unique FCA US VINs)} & & & & \end{array}$$

If a dealer purchases \$2,500 for the current month, \$5,000 for the prior two months and services 750 unique FCA US vehicles, the calculation of \$10 does not meet the \$20 minimum threshold per VIN.

ALL MBO product pack sizes and bulk will be included!

Combined Oil Metrics = Oil Penetration

The Oil Penetration target is \$20 per unique VIN serviced. It includes all bulk, packaged oil and ATF. The MBO Oil Penetration qualifier will also be used for Mopar Rewards.

Mopar® Bulk Oil is delivered and invoiced in metered gallons. Dealers must use the bulk quart part numbers listed in the second column that correspond with the gallon part number invoiced to report sales and charge out Mopar Bulk Oil/ATF+4 in the parts section of a CRO, IRO or Service Contract:

Tier	Viscosity	Oil Description	New Formulation	New Bulk Gallon Part Number	New Dealer-Selling Quart Part Number
Good	5W20	Pennzoil 5W-20	Synthetic Blend	68523000AA	68523001AA
	5W30	Pennzoil 5W-30	Synthetic Blend	68523009AA	68523016AA
	15W40	Shell Rotella T4 15W-40	Conventional	68101999AB	68055893AA
Better	5W20	Pennzoil 5W-20	Full Synthetic	68523005AA	68523006AA
	5W30	Pennzoil 5W-30	Full Synthetic	68523019AA	68523020AA
	0W20	Pennzoil 0W-20	Full Synthetic	68523029AA	68523030AA
	10W30	Shell Rotella T5 10W-30	Full Synthetic	68565405AA	68565406AA
Best	5W20	Pennzoil Platinum 5W-20	Premium Synthetic	68523007AA	68523008AA
	5W30	Pennzoil Platinum 5W-30	Premium Synthetic	68523021AA	68523022AA
	0W20	Pennzoil Platinum 0W-20	Premium Synthetic	68522989AA	68522999AA
	5W40	Pennzoil Platinum Euro 5W-40	Premium Synthetic	68523027AA	68523028AA
	5W40	Shell Rotella T6 5W-40	Full Synthetic	68232237AB	68357422AA
ATF	ATF+4	Shell ATF+4	Conventional	68102000AA	68055894AA

Prices are subject to change without notice. Q4 2024 pricing

Product Name	Pennzoil Platinum Full Synthetic Made From Natural Gas		Pennzoil Professional MS Full Synthetic		Pennzoil Synthetic Blend	
Product Type	Premium Synthetic		Full Synthetic		Synthetic Blend	
Benefits	Complete protection for top engine performance		Enhanced wear protection		Base wear protection	
Wear Protection	★★★★		★★		★	
Protection in Extreme Temperatures	★★★★		★★			
Cleanliness	★★★★		★★		★	
Better Fuel Economy	★★★★		★★		★★	
Protects Horsepower	★★★★		★★		★	
Made From Natural Gas	★★★★					
	BEST		BETTER		GOOD	

*The number of stars indicates relative performance.

TO ENROLL, CLICK HERE

Please contact Mopar Bulk Oil Headquarters at 800-352-2174 or support@mboprogram.com for more information on the MBO program.





PENNZOIL® ECOBOX™ CARTONS FOR ECOBOX™ SYSTEM

One Ecobox™ is the equivalent of 24 single-quart plastic bottles

- **FASTER BAY TIME** because there's no handling of individual single-quart bottles
- **BETTER INVENTORY CONTROL** thanks to the built-in visual ports with graduated inventory markings, which make gauging oil level easier
- **LESS RESTOCKING** when you compare to restocking bottles
- **BETTER VALUE** because the cost is less per quart
- **FRIENDLIER TO THE ENVIRONMENT** because an Ecobox™ plastic liner results in 89% less plastic landfill waste than the equivalent 24 single-quart plastic bottles. The Ecobox™ carton is also fully recyclable

QUART	DESCRIPTION	ECOBX™
68523985AA	Pennzoil Platinum® Euro SAE 5W-40 Full Synthetic Motor Oil	68524007AA
68001332PC	Shell Rotella® T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	68218066AB
68523971AA	Pennzoil Platinum® SAE 5W-20 Full Synthetic Motor Oil	68524010AA
68523981AA	Pennzoil Platinum® SAE 5W-30 Full Synthetic Motor Oil	68524011AA
68523969AA	Pennzoil Platinum® SAE 0W-20 Full Synthetic Motor Oil	68524002AA

Pennzoil and the Pennzoil logo are registered trademarks of SOPUS Inc.

MOPAR® ENGINE OILS



MOPAR SAE 0W-20 ENGINE OIL

Mopar® 0W-20 Full Synthetic

Rating API SP Energy Conserving, ILSAC GF-6A
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SP engine oils.

1 Quart (32 Oz.) Bottle MSQ: 6

Part No. 68523994AA

5L Bottle MSQ: 3

Part No. 68218951AC

195 Quart Pallet MSQ: 1

Part No. 68524969AA

1,050 Quart Pallet MSQ: 1

Part No. 68524972AA



MOPAR SAE 0W-30 ENGINE OIL

This fully synthetic motor oil is formulated specifically for use in turbocharged engines, providing high levels of durability, engine protection, emission system protection and fuel economy for a wide range of vehicles. Protects against Low-Speed Pre-ignition (LSPI). It is formulated to meet MS-13340, ILSAC GF-5, API SN PLUS Energy Conserving and all previous categories. Refer to your owner's manual for correct viscosity grade.

1 Quart (32 Oz.) Bottle

MSQ: 12

Part No. 68523988AA

API SP, ILSAC GF-6A



MOPAR SAE 5W-20 SYNTHETIC BLEND ENGINE OIL

Rating API SN Energy Conserving, ILSAC GF-6A
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 6

Part No. 68518202AA

5L Bottle MSQ: 3

Part No. 68218891AC

1,050 Quart Pallet MSQ: 1

Part No. 68524961AA

195 5L Bottle Pallet MSQ: 1

Part No. 68524956AA

MS-6395



MOPAR SAE 5W-30 SYNTHETIC BLEND ENGINE OIL

Rating: API SP / GF-6A Energy Conserving
Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85).

1 Quart (32 Oz.) Bottle MSQ: 6

Part No. 68518204AA

5L Bottle MSQ: 3

Part No. 68518205AA

1,008 Quart Pallet MSQ: 1

Part No. 68218923AC

195L Bottle Pallet MSQ: 1

Part No. 68524957AA

MS-6395

MOPAR® ENGINE OILS



MOPAR SAE 5W-40 ENGINE OIL

Rating: API SN, Energy Conserving, ILSAC GF-5
 Approved to service all engines that require SAE 5W-40 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 12
Part No. 68231020AA
 5L Bottle MSQ: 4
Part No. 68231021AA



MOPAR SAE 10W-30 ENGINE OIL

Rating: API SP, Energy Conserving, ILSAC GF-6A
 Approved to service all engines that require SAE 10W-30 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68524000AA
 5L Bottle MSQ: 3
Part No. 68218931AC
 220 Quart Drum MSQ: 220
Part No. 68524134AA
 1,050 Quart Pallet MSQ: 1
Part No. 68524968AA
 195 5L Bottle Pallet MSQ: 1
Part No. 68524960AA
 MS-6395



MOPAR SAE 15W-40 ENGINE OIL

Rating: API CJ-4/CI-4+
 6700 CJ-4 rated for Ram truck with low emissions 6.7L Cummins turbo diesel engine. Approved for 5.9L Cummins diesels operating on low or high sulfur fuel.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68218940AD
 5L Bottle MSQ: 3
Part No. 68218941AC
 195 5L Bottle Pallet MSQ: 1
Part No. 68218944AB
 1,050 Quart Pallet MSQ: 1
Part No. 68218943AD

SHELL ENGINE OILS



SHELL ROTELLA® T4 SAE 15W-40 HEAVY DUTY ENGINE OIL

(NOTE: T Triple is now named T4)

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68024966PD

1 Gallon Bottle MSQ: 3
Part No. 68024967PC

220 Quart Drum MSQ: 220
Part No. 68044417PC

1,050 Quart Pallet MSQ: 1
Part No. 68024968PE

42 Gallon Pallet MSQ: 1
Part No. 68321503PC

240 Gallon Pallet MSQ: 1
Part No. 68024969PC

MS-10902

MS-6395



SHELL ROTELLA T5 SAE 10W-30 SYNTHETIC BLEND HEAVY DUTY DIESEL ENGINE OIL

1 Gallon Bottle MSQ: 3
Part Number: 68438447PA

5 Gallon Pallet MSQ: 1
Part No. 68492707AA

220 Quart Drum MSQ: 220
Part Number: 68440571PA



SHELL ROTELLA® T6 SAE 5W-40 FULL SYNTHETIC HEAVY DUTY ENGINE OIL

Approved for 5.9L Cummins turbo diesel. Recommended for heavy duty drive cycle, towing and commercial use. Preferred when temperature is 5° F or below.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68001332PC

1 Gallon MSQ: 3
Part No. 68171006PB

220 Quart Drum MSQ: 220
Part No. 68147411PB

240 Quart Pallet MSQ: 1
Part No. 68374066PA

750 Quart Pallet MSQ: 1
Part No. 68001333PD

MS-10902

PENNZOIL ENGINE OILS



PENNZOIL SAE 10W-30 ENGINE OIL

Rating: API SP, Energy Conserving, ILSAC GF-6A
Approved to service all engines that require SAE 10W-30 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523995AA

5.1 Quart Bottle MSQ: 3
Part No. 68524016AA

220 Quart Drum MSQ: 220
Part No. 68524136AA

1,050 Quart Pallet MSQ: 1
Part No. 68524979AA

195 5.1 Quart Pallet MSQ: 1
Part No. 68524986AA
MS-6395



PENNZOIL SAE 5W-20 SYNTHETIC BLEND ENGINE OIL

Rating: API SP Energy Conserving, ILSAC GF-6A
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68524004AA

220 Quart Drum MSQ: 220
Part No. 68524127AA

1,008 Quart Pallet MSQ: 1
Part No. 68524981AA
MS-6395



PENNZOIL SAE 5W-30 SYNTHETIC BLEND ENGINE OIL

Rating: API SP PLUS
Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85).

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523989AA

5.1 Quart Bottle MSQ: 3
Part No. 68524003AA

220 Quart Drum MSQ: 220
Part No. 68524125AA

1,050 Quart Pallet MSQ: 1
Part No. 68524974AA

195 5.1 Quart Pallet MSQ: 1
Part No. 68524985AA
MS-6395



PENNZOIL ULTRA PLATINUM™ SAE 0W-40 FULL SYNTHETIC MOTOR OIL

Rating: API SP, ILSAC GF-6A

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523970AA

220 Quart Drum MSQ: 220
Part No. 68524116AA

750 Quart Pallet MSQ: 1
Part No. 68524965AA

MS-12633



PENNZOIL ULTRA PLATINUM™ SAE 5W-30 FULL SYNTHETIC MOTOR OIL

Approved for 3.0L CRD (WK) and Sprinter 3.0L OM642 (VB).

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68001334PD

750 Quart Pallet MSQ: 1
Part No. 68001335PC

MS-11106 (MB-229.51)



PENNZOIL PLATINUM® EURO SAE 5W-40 FULL SYNTHETIC MOTOR OIL

Rating: API SP, ILSAC GF-6A

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523985AA

220 Quart Drum MSQ: 220
Part No. 68524135AA

750 Quart Pallet MSQ: 1
Part No. 68524970AA

MS-12991

PENNZOIL ENGINE OILS



PENNZOIL PLATINUM® SAE 0W-20 FULL SYNTHETIC MOTOR OIL

Rating: API SP, ILSAC GF-6A

Approved to service all engines that require SAE 0W-20 engine oils.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523969AA

220 Quart Drum MSQ: 220
Part No. 68524118AA

750 Quart Bottles MSQ: 1
Part No. 68524962AA
MS-12145



PENNZOIL PLATINUM® SAE 5W-20 FULL SYNTHETIC MOTOR OIL


Rating: API SP, ILSAC GF-6A

Energy-conserving viscosity grade recommended for many modern gasoline engines.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523971AA

220 Quart Drum MSQ: 220
Part No. 68524121AA

750 Quart Bottles MSQ: 1
Part No. 68524966AA
MS-12001



PENNZOIL PLATINUM® SAE 5W-30 FULL SYNTHETIC MOTOR OIL

Rating: API SP, ILSAC GF-6A

Energy-conserving viscosity provides excellent all-season protection and unsurpassed levels of performance.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68523981AA

220 Quart Drum MSQ: 220
Part No. 68524131AA

750 Quart Bottles MSQ: 1
Part No. 68524971AA
MS-13340



PENNZOIL PLATINUM® SAE 10W-30 FULL SYNTHETIC MOTOR OIL

Rating: API SP, ILSAC GF-6A

Provides unsurpassed levels of performance, cleaning power and engine wear protection. Service fill for 1991-2005 Viper 8.0L.

1 Quart (32 Oz.) Bottle MSQ: 6
Part No. 68524015AA

750 Quart Bottles MSQ: 1
Part No. 68524976AA

FUEL CLEANERS



Air Intake Cleaner (pictured) ships in aerosol container for all states except CA, CT, DE, MD, NE and UT.
Low VOC is applicable in all states.

PREMIUM FUEL SYSTEM CLEANING KIT

This kit is designed to improve customer satisfaction by addressing drivability concerns, including rough idle, loss of power, hesitation, hard starting and poor fuel economy.

Fuel System Cleaning Kit

Kit includes:

68628278AA, 68628279AA, 68628280AA

MSQ: 8

Part No. 68621322AA

Major Induction Fuel Kit

Kit includes:

68628278AA, 68628280AA, 68628281AA

MSQ: 7

Part No. 68621326AA

Diesel Fuel System Cleaning Kit

Kit includes:

68621490AA, 68621344AA

MSQ: 11

Part No. 68629555AA



AIR INTAKE & THROTTLE BODY CLEANER

Formulated to maintain the efficient operation of the air intake components; throttle valve body, butterfly and idle intake control valves.

10 Oz. Aerosol Can

MSQ: 12 Cans

Part No. 68628279AA



AIR INTAKE & EGR CLEANER

Removes harmful deposits from throttle bodies and intakes.

12 Oz. Bottle

MSQ: 12 Bottles

Part No. 68628281AA



A/C EVAPORATOR CLEANER

Quickly eliminates odors and cleans evaporator.

8 Oz. Aerosol Can

MSQ: 12 Cans

Part No. 68621500AA



PREMIUM FUEL SYSTEM CLEANER

The ultimate fuel injector cleaner. It is a powerful, non-halogenated cleaner for use in all fuel-injected gasoline engines. Catalytic converter and sensor safe.

12 Oz. Bottle

MSQ: 12 bottles

Part No. 68628278AA

**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

FUEL CLEANERS



FUEL INJECTOR & COMBUSTION CHAMBER CLEANER

Cleans performance-robbing carbon deposits from the entire fuel system, restoring lost power, drivability and fuel economy. Cleans and protects sensitive fuel gauge sensors from harmful sulfur in some gasolines.

12 Oz. Bottle
MSQ: 12 Bottles
Part No. 68628280AA



DIESEL EGR SYSTEM CLEANER

Concentrated cleaner/degreaser is designed to effectively clean and remove soot and carbon deposits from EGR valve and cooler.

- Helps extend engine life
- Maximizes efficiency

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 68716979AA



PREMIUM DIESEL FUEL SYSTEM CLEANER

Compatible with all diesel fuels and bio-diesel. Emissions-reducing formula is non-corrosive and contains no alcohol. Rated "superior" in Cummins L-10 test for injector cleanliness. Complies with federal ultra-low sulfur content requirements for use in all diesel motor vehicles and non-road engines. Increases power and reduces black smoke.

12 Oz. Bottle
MSQ: 12 Bottles
Part No. 68621490AA



PREMIUM DIESEL FUEL TREATMENT

Increases cetane rating 2-5 numbers. Improves fuel economy and corrosion protection. Removes fuel injector/system deposits and may reduce emissions. Provides exceptional fuel lubricity for reducing fuel pump and injector wear. Improves cold temperature flow for low temperature starting, smoother idling and shortened warm-up time. Stabilizes fuel when in storage. This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

12 Oz. Bottle
MSQ: 12 Bottles
Part No. 68621344AA



COMBUSTION CHAMBER CLEANER

Cleans carburetors, intake manifolds, intake and exhaust valves, pistons and combustion chambers. Removes deposits, eliminates carbon knock and restores performance.

13 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04318001AE



THROTTLE BODY CLEANER

Quickly removes deposits and carbon buildup from throttle bodies, carburetors, chokes, linkages and PCV valves. Meets C.A.R.B. automotive product VOC standards.

13 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04897156AD

GEAR & AXLE LUBRICANTS



FRONT AXLE POWER TRANSFER UNIT LUBRICANT SAE 75W-90

Formulated as a full-synthetic multi-grade, long life 75W-90 GL-5 for use specifically in axles produced by GKN Driveline. Lubricant offers fuel savings and reduced emissions due to balanced viscometric and frictional characteristics. Optimal anti-wear, extreme pressure performance at all ambient temperatures and load conditions.

1 Quart (32 Oz.) Bottle
MSQ: 1

Part No. 68280932AA



REAR AXLE DIFFERENTIAL MODULE LUBRICANT SAE 75W-90

75W-90 GL-5 is formulated as a full synthetic for use specifically in axles produced by GKN Driveline. Lubricant is formulated with age-resistant and excellent cold flow properties. It offers excellent thermal and oxidative stability, excellent shear stability, constant viscosity and performance during oil life.

1 Quart (32 Oz.) Bottle
MSQ: 1

Part No. 68280933AA



REAR AXLE LUBRICANT SAE 75W-85

Rear axle lube for ZF-ELSD assembly.

1 Liter Bottle
MSQ: 4 Bottles

Part No. 68449546AA
MS-A0759



REAR AXLE LUBRICANT SAE 75W-85

Rear axle lube for ZF-ELSD assembly.

1 Liter Bottle
MSQ: 4 Bottles

Part No. 68083381AA



MULTI AXLE LUBRICANT SAE 75W-85

Fully synthetic lubricant formulated for car differential units where API GL5 is required. Specific formulation warrants total protection of the differential also at the most extreme temperatures. Protects fuel economy and lowers operating temperatures and noise. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle
MSQ: 1

Part No. 68364258AA
FPW 9.55550 DA3



GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lube. Use in rear axles as specified. Excellent wear and noise protection.

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles

Part No. 68218041AB
MS-9020



TUTELA TRANSMISSION HYPOID GEAR LUBRICANT SAE 75W-80

Designed as a high-performance hypoid gear lubricant specifically formulated to withstand extreme pressure and provide lasting protection against surface stress under extreme conditions.

1 Quart (32 Oz.) Bottle
MSQ: 1

Part No. 68339072AA



**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

*Gear & Axle Lubricant products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 64 quarts. Dealer must order in 256 increments which is 4 drums. Promo code MGO to purchase Mopar Gear & Axle Lubricant.

GEAR & AXLE LUBRICANTS



REAR AXLE LUBRICANT SAE 75W-140

75W-140 with friction modifier optimized for best performance. Premixed MS-8985 75W-140 with MS-10111 friction modifier (4.3% by volume) for D2 12.0 DRW rear axles.

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 68449547AA
MS-10111



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lube. Also highly recommended for LX body rear axle. Recommended for trailer tow and heavy-duty, high-load vehicles.

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 68218657AB
MS-8985



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

Specifically formulated for improved fuel efficiency while providing exceptional antiwear properties. For use in all FCA US LLC corporate axles.

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 68218655AC
MS-9763



SYNTHETIC AXLE LUBRICANT SAE 75W-85

Formulated for use in specific Ram and Jeep® axles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Meets GL-5, MT-1, SAE J2360 specifications.

1 Quart (32 Oz.) Bottle
MSQ: 12
Part No. 68210057AB



OPEN DIFFERENTIAL AXLE LUBRICANT SYNTHETIC SAE 75W-85

Formulated for use only in select ZF open differential axles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Meets GL-5, MT-1, SAE J2360 specifications.

1 Quart (32 Oz.) Bottle
MSQ: 6
Part No. 68232947AB



LIMITED SLIP DIFFERENTIAL AXLE LUBRICANT SYNTHETIC SAE 75W-85

Formulated for use only in Alfa Romeo vehicles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and exceptional anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Refer to your service manual for lubricant specifications.

1 Quart (32 Oz.) Bottle
MSQ: 1
Part No. 68232948AB
MS-A0358

 **Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

GEAR & AXLE LUBRICANTS



LONG LIFE HYPOID GEAR OIL SAE 75W-85

Formulated as a rear differential fluid to resist breakdown under high temperatures and pressure produced by hypoid gear boxes. Meets SAE 75W-85, API GL-4 and 9.55550-MZ3 specifications.

1 Quart (32 Oz.) Bottle

MSQ: 1

Part No. 68333589AA



MANUAL TRANSAXLE AND QUADRA-TRAC LUBRICANT

Unique lubricant specially formulated for the NV T350 transaxle and Jeep® Q-trac. Required to maintain shift properties.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 04874465



MANUAL TRANSMISSION LUBRICANT

Unique lubricant specially formulated for the NV 3500 and NSG 370 transmissions. Required to maintain shift properties.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 04874464AC

MS-9224



GEAR LUBRICANT SAE 90

Formulated as a GL-5 fluid intended for use only in Dodge Sprinter axle assemblies. Not intended for use in other FCA US LLC vehicles.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 05136033AC



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

SAE 75W-90 for use specifically in DR 2500-3500 and axles produced by American Axle Manufacturing.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 68218654AB



SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-85

Designed as an API GL-5 synthetic gear and axle lubricant formulated to withstand extreme pressure for improved fuel economy in heavy-, mid- and light-duty applications. This lubricant contains extreme pressure additives, as well as rust, oxidation and corrosion inhibitors to protect gears and bearings operated under a wide variety of load conditions. Refer to your owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 68378949AA

MS-A0450



SYNTHETIC AXLE LUBRICANT SAE 75W-85

This fully synthetic GL-5 fluid is intended for use only in the Chrysler Crossfire axle assembly. Not intended for use in other FCA US LLC vehicles.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 05136035AC



C SERIES DDCT SAE 75W HYDRAULIC FLUID

Fully synthetic lubricant specifically for cars with Selespeed gearboxes. Cleans mechanical parts and provides extreme fluidity when cold, and protection when hot.

1 Quart (32 Oz.) Bottle

MSQ: 6 Bottles

Part No. 68092638AB

GEAR & AXLE LUBRICANTS



RAM 1500 2017+ REAR AXLE LUBRICANT SAE 75W-90

This lubricant is specifically formulated to meet MS-A0160 specifications for the C235 rear axle used in the Ram 1500 2017+. Not intended for use in other vehicles. Refer to the owner's manual for proper specifications.

1 Quart (32 Oz.) Bottle

MSQ: 6

Part No. 68340460AA

MS-A0160



TRANSFER CASE LUBRICANT FOR BORGWARNER 44-40 AND 2016+ 44-44

Transfer case lubricant for all BorgWarner 44-40, and 2016 and newer BorgWarner 44-44. Formulated for use in LX (Charger 300) BorgWarner 44-40, and 2016 model year BorgWarner 44-44 DS (Ram 1500) Transfer Case. Not recommended for use in other applications. Consult vehicle service manual for further information.

1 Liter (33.8 Fl. Oz.) Bottle

MSQ: 12 Bottles

Part No. 68049954AC



TRANSFER CASE LUBE FOR BORGWARNER 44-45, 44-46, 44-47, 44-48 AND PRE-2016 44-44

Specified for use in BorgWarner 44-45, 44-46, 44-47, 44-48 and pre-2016 44-44 transfer case. Not recommended for use in other applications. Consult vehicle service manual for further information. Do not use in any transmission or transaxle. ISO 32 viscosity grade, classified as Automatic Transmission Fluid under California law.

1 Quart (32 Oz.) Bottle

MSQ: 6 Bottles

Part No. 68089195AA



TRANSFER CASE LUBRICANT SAE 75W

All-wheel drive synthetic that is specifically formulated to withstand the most severe operating conditions required in fill-for-life lubrication applications. Refer to the vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle

MSQ: 1

Part No. 68377611AA



TRANSFER CASE LUBRICANT NV146

Specially formulated high-performance lubricant required for carbon fiber clutch plates used in the Jeep® Grand Cherokee SRT8 NV 146 transfer case.

1 Quart (32 Oz.) Bottle

MSQ: 6 Bottles

Part No. 68001758AB



TRANSFER CASE LUBRICANT NV246

Unique lubricant required for NV246 in 2006 DR Truck.

1.004 Quart (950 mL) Bottle

MSQ: 12 Bottles

Part No. 05179014AA



TRANSFER CASE LUBRICANT

This lubricant is intended for use in the NV245, NV247 and NV249 transfer case and not recommended for use in other vehicle transfer case applications.

1 Quart (32 Oz.) Bottle

MSQ: 12

Part No. 05016796AC

GEAR & AXLE LUBRICANTS



C SERIES MANUAL & DUAL DRY CLUTCH TRANSMISSION FLUID

Specifically blended for the C51 O/C514/C635 Manual Transmissions and C635/C725/C735 Dual Dry Clutch Transmissions. Maintains component durability, shift quality and cold temperature properties. Not intended for conventional automatic transmissions, power steering systems or other transmissions unless specified in your Chrysler/FIAT® service manual.

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 68092630AA

1 Gallon Bottle
MSQ: 4 Bottles
Part No. 68092636AA



DRY CLUTCH TRANSMISSION FLUID SAE 75W-85

This is a full-synthetic manual transmission lubricant with outstanding low-temperature fluidity, oxidation stability and synchronizer performance. It's approved for extended service intervals in mid-range transmissions. Also recommended for passenger car and light commercial vehicle transmissions, transaxles and transfer cases where API GL-3 or GL-4, and SAE 75W-85 or SAE 80 viscosity is specified.

1 Quart (32 Oz.) Bottle
MSQ: 12
Part No. 68256847AA



LIMITED SLIP ADDITIVE

Reduces wear, noise and chatter in limited slip (Sure-Grip, Trak-Lok, Power-Lok) differentials. Should be added whenever the gear oil is changed or improper limited slip operation is detected.

4 Oz. Bottle
MSQ: 24 Bottles
Part No. 04318060AS
MS-10111



SINGLE SPEED TRANSMISSION FLUID

For use only in DAC single speed transmissions. Provides excellent viscosity stability and resistance to foaming. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle
MSQ: 1
Part No. 68210514AB



VITAMOL ZH-M HYDRAULIC FLUID

Recommended for Chrysler Sebring (JS-27) convertible/retractable hardtop system.

16.9 Oz. Bottle
MSQ: 4 Bottles
Part No. 68035321AB



SYNTHETIC MANUAL TRANSMISSION LUBRICANT SAE 75W-85

This unique synthetic transmission lubricant is specially formulated for the NV-4500 and certain T56 transmissions – check your owner's manual. Required to maintain shift properties. Do not use in other manual transmissions unless specified in your vehicle service manual. GL-4, MIL-L2105 rated.

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 04874459
MS-9070



SYNTHETIC HYDRAULIC CONTROL FLUID

Formulated for use only in rear drive module servo subsystem (Hydraulic Control Fluid). Maintains proper shift quality in cold temperatures and provides noise protection.

1 Quart (32 Oz.) Bottle
MSQ: 6
Part No. 68227766AB

LEAK DETECTION

LEAK DETECTION DYES

Simple-to-use dye identifies leaks. Fluorescent dye leak detecting compounds make short work of pinpointing difficult-to-diagnose leaks by glowing brightly when exposed to ultraviolet (UV) light. Convenient, single-application bottles.



EV A/C LEAK DETECTION DYE

Fluorescent dye that exposes leaks in POE A/C systems. Developed for vehicles with electrically driven compressors (i.e., PHEV, HEV, REEV, BEV). Can be used for both R-134A and R-1234YF refrigerants.

1/4 Fl. Oz. Bottle
MSQ: 24 Bottles
Part No. 68676852AA



ICE A/C LEAK DETECTION DYE

Fluorescent dye that exposes leaks in PAG A/C systems. Developed for vehicles with belt-driven compressors. Can be used for both R-134A and R-1234YF refrigerants.

1/4 Fl. Oz. Bottle
MSQ: 24 Bottles
Part No. 04798219AD



4-IN-1 LEAK DETECTION DYE

4-in-1 Leak Detection Dye can be used in engine oil (1/4 oz. dye per 4-5 quarts of oil), ATF (1/4 oz. dye per 6 quarts of ATF), fuel (1/4 oz. dye per 2 gallons of fuel), and power steering fluid. (NOTE: For finding power steering leaks, only use 1/4 of total amount of dye in the 4-in-1 1/4 oz. dye bottle).

1/4 Fl. Oz. Bottle
MSQ: 6 Bottles
Part No. 05010042AC



**Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

LUBRICANTS & GREASE



WHEEL BEARING GREASE

Extreme temperature, extreme pressure grease. Use on wheel bearings, ball joints, tie rod ends, clutch linkages, axle bearings, driveline splines and slip yokes.

1 Lb. Tub
MSQ: 12 Tubs
Part No. 05083149AA
MS-6560



MULTI-MILEAGE LUBE

An excellent suspension and steering linkage grease. A barium-based grease that stands up to punishing conditions. Protects and reduces wear on ball joints, tie rod ends, universal joints and axle shaft bearings.

14.5 Oz. Cartridge
MSQ: 10 Cartridges
Part No. 04897841AB /
MCOGG45**
MS-4178



MULTI-PURPOSE GREASE

General purpose grease for lubricating clutch torque shaft bearings, clutch release bearing sleeves, clutch release forks, brake assemblies, wheel bearings and more (NLGI - 2 certified).

14.5 Oz. Cartridge
MSQ: 10 Cartridges
Part No. 05083150AA /
MCOGG45**
MS-6560



RUBBER BUSHING INSTALLATION LUBE

An excellent lubricant that quickly becomes a dry film. Aids in the installation and assembly of press-fit rubber bushings. Will not deteriorate or degrade rubber.

4 Oz. Can
MSQ: 1 Can
Part No. 05010319AB



HALF SHAFT GREASE

Formulated as an NLGI number 1-2 grease for CV joint lubrication.

4.93 Oz. Tube
MSQ: 6
Part No. 68194558AA



SPRAY WHITE LUBE LITHIUM GREASE

An all-purpose, lithium-based white grease for automotive and general purpose applications. Ideal for hinges, slide tracks and lock mechanisms.

12 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04318066AE



SILICONE SPRAY LUBE

Ideal for all sticking and/or squeaking, sliding or hinged contact points. Makes locks operate smoothly and protects from freezing. Not for use on plastic or rubber components.

12 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04318070AE

 **Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

LUBRICANTS & GREASE



BRAKE LUBRICANT

Superior lubricant to prevent noise, squeaks and backing plate wear. Lubricates contact points between brake shoes and backing plates. Required on NS minivan.

1.76 Oz. Tube
MSQ: 1 Tube
Part No. 04796269AB
MS-9708



BRAKE & SUSPENSION GREASE

High-temperature grease intended for brake calipers, parking brake cables and ball joints. Excellent water resistance and mechanical stability over a wide temperature range.

0.88 Oz. Tube
MSQ: 1 Tube
Part No. 05019061AB
MS-7751



BUSHING GREASE

Rubber bushing lubricant. Aids in the installation and assembly of press-fit rubber bushings.

2 Oz. Tube
MSQ: 1 Tube
Part No. 68028730AA



DIELECTRIC GREASE

A silicone-based, electrically thermal insulating grease for use on wiring harnesses, bulkhead connectors, spark wires and other electrical connections. Prevents dirt, grease and moisture from contaminating connection and causing open circuits.

2 Oz. Tube
MSQ: 12 Tubes
Part No. J8126688AB
MS-3089



COIL DIELECTRIC GREASE

For use on ignition coils, spark plug boots and electric connections. Formulated as an NLGI 2-3 grade.

2 Oz. Tube
MSQ: 12
Part No. 68364292AA
DOW MOLYKOTE
G-5008
MS-A0366



OUTPUT SHAFT ASSEMBLY LUBRICANT

For use in completely coating the splined area of the NAG1 transmission output shaft prior to installing the MS-140 transfer case.

1.76 Oz. Tube
MSQ: 1
Part No. 68002256AB

LUBRICANTS & GREASE



NYE® DIELECTRIC GREASE

2 Oz.
MSQ: 1
Part No. 05013781AA

IMAGE NOT AVAILABLE

NYE® SYNTHETIC LUBRICANT

1 Oz. Tube
MSQ: 1
Part No. 05018626AA

IMAGE NOT AVAILABLE

MULTI-PURPOSE GREASE

3 Oz. Tube
MSQ: 12
Part No. 05083160AA

IMAGE NOT AVAILABLE

LIQUID GASKET FOR MMC

3 Oz. Tube
MSQ: 1
Part No. MD974421



WEATHERSTRIP LUBRICANT

Unique Krytox (synthetic fluorinated lubricant) formulation lubricates weatherstripping to prevent it from sticking to door glass and frames. Clear fluid provides long-lasting lubrication. Will not stain or mar clothing. Features built-in sponge applicator.

1 Oz. Bottle
MSQ: 1 Bottle
Part No. 04773427AB



P-80 GRIP-IT LUBRICANT

Temporary rubber assembly lubricant. Use this quick-drying lubricant with cling to ease the installation of bushings, grips, grommets, hoses, O-rings, seals and many other parts.

10 mL Tube
MSQ: 1
Part No. 68425736AA
MS-3881

MASTER SHIELD



PAINT SEALANT

Master Shield's unique formula provides a smooth, glass-like protective seal, which guards against solar damage.

3.5 FL Oz. (103.5 mL) Bottle

MSQ: 12 Bottles

Part No. 82212075AB

Bulk

MSQ: 168

Part No. 68468176AA

5-Gallon Pail

Application 160

Part No. 82203693AC



FABRIC PROTECTOR

Protects interior fabrics by repelling spills and stains from liquids such as coffee, milk, soft drinks, juice and other similar liquids.

16 FL Oz. (473 mL) Bottle

MSQ: 12 Bottles

Part No. 82212076AB – Solvent-Based

Part No. 82213192AB – Water-Based

Bulk

MSQ: 168

Part No. 68468179AA – Solvent-Based

Part No. 68468180AA – Water-Based

5-Gallon Pail

Application 40

Part No. 82203694AC – Solvent-Based

Part No. 82213193AB – Water-Based



LEATHER AND VINYL PROTECTOR

A special formulation that bonds to the leather or vinyl of the vehicle's interior to give it spill-proof protection. Makes vehicle's spills "bead up" on your leather or vinyl for easy wipe-off or sponging, without dulling your vehicle's interior colors or leaving stains.

4 FL Oz. (118 mL) Bottle

MSQ: 12 Bottle

Part No. 82212077AB

Bulk

MSQ: 168

Part No. 68468177AA



UNDERCOAT

Improves underbody appearance and seals out harmful, corrosive abrasion. Also acts as a sound deadener for a quieter ride, and helps insulate a vehicle from the heat and cold.

40 FL Oz. (1.18 L) Bottle

MSQ: 12 Bottles

Part No. 82212078AB – Solvent-Based

Bulk

MSQ: 168

Part No. 68468175AA

Drum

MSQ: 1

Part No. 82214572AB – Water-Based



RUST INHIBITOR

Fogging spray method penetrates those hard-to-reach cracks and crevices, providing maximum inside-out corrosion protection from rust-through on doors and exterior body side panels.

31 FL Oz. (916 mL) Bottle

MSQ: 12 Bottles

Part No. 82212074AB

Part No. 82212089AB – Wisconsin only

Bulk

MSQ: 168

Part No. 68468170AA

Part No. 68468181AA – Wisconsin only

POWER STEERING & BRAKE FLUIDS



HYDRAULIC SYSTEM POWER STEERING FLUID

Specifically developed for WK hydraulic/ power steering systems.

1 Quart (32 Oz.) Bottle

MSQ: 4 Bottles

Part No. 68234631AB

MS-10838



ELECTRIC STEERING PUMP FLUID

This fluid is approved for EPS pump systems and meets material specification MS-11655. Do not mix power steering fluid types. Severe electrical power steering pump damage may result if a different fluid is used. Do not overfill.

1 Pint (16 Oz.) Bottle

MSQ: 6 Bottles

Part No. 68088485AB

MS-11655



POWER STEERING FLUID +4

Convenient, easy-to-pour, pint-sized container. Meets FCA US material specification for post-1998 power steering systems that require MS-9602 fluid. Compatible with ATF+4.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

Part No. 68218064AC



BRAKE FLUID DOT 3 MOTOR VEHICLE

For use in hydraulic brake systems specifying DOT 3 brake fluid or disc or drum brakes. Meets or exceeds SAE and federal specifications.

12 Oz. Bottle

MSQ: 12 Bottles

Part No. 04318080AD

MS-90039 (MS-4574)



BRAKE & CLUTCH FLUID DOT 4 MOTOR VEHICLE

Specially blended to withstand heat and pressure. DOT 4 fluid meets all DOT requirements for DOT 4.

12 Oz. Bottle

MSQ: 12 Bottles

Part No. 04549625AF

MS-90039 (MS-9971)

POWER STEERING & BRAKE FLUIDS



BRAKE AEROSOL CLEANER NON-CHLORINATED

- Helps clean and dry fast without leaving residue
- Helps degrease instantly
- Works without disassembly

15 Oz. 10% VOC Aerosol Cleaner

MSQ: 1 Can

Part No. 68621516AA

MSQ: Half Pallet

Part No. 68628052AA

MSQ: Full Pallet

Part No. 68628053AA

55 Gallon Drum

MSQ: 1

Part No. 68634278AA

15 Oz. 45% VOC Aerosol Cleaner

MSQ: 12 Cans

Part No. 68621515AA

MSQ: 12 Cans

Part No. 68621515GA

MSQ: Half Pallet

Part No. 68628049AA

MSQ: Full Pallet

Part No. 68628050AA

55 Gallon Drum

MSQ: 1

Part No. 68634279AA

SEALANTS & ADHESIVES



ATF-RTV

Silicone rubber RTV developed specifically to retain sealing and adhesion properties when exposed to automatic transmission fluid.

3 Oz. Tube
MSQ: 12 Tubes
Part No. 05010884AD
MS-GF41B



AXLE RTV

The only RTV sealer approved for use in Chrysler-built axles using Mopar® SAE 75W-90 Axle Lubricant P/N 68218655AC. This is the only factory used sealer compatible for use with this lubricant.

3 Oz. Tube
MSQ: 12 Tubes
Part No. 05013477AD



THREEBOND™ ENGINE RTV

Formulated as a high-performance temperature-vulcanized silicone. It has good elasticity, temperature and chemical resistance when cured. Highly resistant to oils such as motor oil, transmission fluid or gear oil. Not recommended for sealing engine coolant.

5 Oz. Tube
MSQ: 1 Tube
Part No. 68082860AB



ENGINE SEALANT RTV SILICONE RUBBER ADHESIVE

Use to seal components exposed to engine oil. Specifically designed black silicone rubber RTV retains adhesion and sealing properties when exposed to engine oil.

3 Oz. Tube
MSQ: 12 Tubes
Part No. 04883971AC
MS-GF44B



RTV SEALANT

High-performance temperature-vulcanized sealant. Tested for elasticity, temperature and chemical resistance when cured.

5 Oz. Bottle
MSQ: 1
Part No. 68379579AA
MS-50111



RTV SILICONE RUBBER ADHESIVE

Developed specifically for use on the FIAT® 500 and 500L 2.0L engine oil pan. See service manual for proper applications and use.

2.6 Oz. Tube
MSQ: 1
Part No. 68119754AA

SEALANT APPLICATIONS

Part No.	Description	MS	Color	Recommended Usage
04318035AC	Gasket Sealant	CD78D	Brown	Coolant
04318083AC	Gasket Maker	CD98D	Red	Metal to Metal
04773257	Bed Plate Sealant	CD98F	Green	Engine Main Bearing
04883971AC	Engine RTV	GF44B	Black	Engine Oil
05010884AD	ATF-RTV	GF41B	Black	Automatic Transmissions
05013477AD	Axle RTV	GF46	Red/Orange	Axle Section
82300234AC	World Engine Oil/Trans/Glycol Sealant RTV	GF44D	Gray	Gear Lube

SEALANTS & ADHESIVES



GASKET MAKER

Use when assembling metal-to-metal components. Red anaerobic sealer fills gaps to .030" and cures to a flexible seal in one to eight hours. Excellent resistance to solvents and gasoline.

50 mL Tube
MSQ: 10 Tubes
Part No. 04318083AC



GASKET SEALANT

Slow drying, permanently soft sealer. Recommended for sealing threaded fittings and gaskets against leakage of oil and/or antifreeze/coolant. Use on threaded and machined parts under all temperatures. Prevents corrosion.

9 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04318035AC
MS-CD78D



SILICONE RUBBER RTV

Silicone rubber RTV developed specifically to be engine oil, gear lubricant and coolant compatible. Excellent adhesion, even on oily surfaces. Withstands temperatures to 635°F (330°C).

3 Oz. Tube
MSQ: 12 Tubes
Part No. 82300234AC
MS-GF44D



HYLOMAR GASKET DRESSING/FLANGE SEALANT

High-tack gel sealant that is non-hardening, for easy disassembly of flanged components even after long-term operation. Temperature range -60°F to 600°F. Resists fuels, lubricants, water, glycol and related engine fluids. Contains no ODC/VOC solvents.

1.2 Oz. Tube
MSQ: 6 Tubes
Part No. 05127819AA



BED PLATE SEALANT

Use when installing main bearing bed plates on engine assemblies. Delayed anaerobic green sealant that cures slowly to allow proper assembly and torquing of main cap plate. Cures with heat.

50 mL Tube
MSQ: 10
Part No. 04773257
MS-CD98F



BUTYL TAPE (ROPE)

Forms a windproof and waterproof seal. Not for use in place of urethane. Each roll contains 4 feet of 3/8" bead Butyl Tape.

15' Roll
MSQ: 1 Roll
Part No. 04076274AB

VINYL FOAM TAPE

Builds up low spots in doors and trunks. Weatherstrips to seal out leaks and noise. Easy to cut to exact length; adheres quickly and securely. Each roll contains 30 feet of 3/16" (thick) by 1" (wide) tape.

30' Roll
MSQ: 1 Roll
Part No. 04318028

SEALANTS & ADHESIVES



WEATHERSTRIP ADHESIVE

Adheres weatherstripping to painted metals for a permanent bond. Withstands heat and freezing conditions; also resists gasoline, kerosene, antifreeze and most solvents.

5 Oz. Tube
MSQ: 10 Tubes
Part No. 04773774AC
MS-CC223



BOND-ALL GEL

Super adhesive glue instantly bonds a wide variety of materials. Thick, no-run glue for use on weatherstripping, bumper rub strips, body side moldings and many other items where permanent repair is needed.

.06 Oz. Tube
MSQ: 10 Tubes
Part No. 04467709AB
MS-CC15



WINDSHIELD INSTALL ADHESIVE PACKAGE

10.5 Oz. Tube Urethane Adhesive
0.67 Oz. Bottle Painted Metal Primer
0.67 Oz. Bottle Black Glass Primer
0.67 Oz. Bottle Clear Glass Primer
1 Application Dauber
9 Foam Spacers
2 Windshield Supports

MSQ: 1*
*90% of vehicles require 2
Part No. 04864015AD
MS-90098, MS-90069, MS-90062,
MS-90070



REAR VIEW MIRROR ADHESIVE

Two-part, single-application package of accelerant and adhesive to permanently rebond inside rear view mirror to windshield. (Non-TCE formula.)

Kit contains:
0.3 mL Adhesive
0.6 mL Activator
MSQ: 12 Kits
Part No. 05015983AD
MS-CC86



SILICONE WINDSHIELD & GLASS SEALER

Clear, flowable sealant for windshields, sunroofs and headlamp assemblies. Flows into leaks like water, but dries to a tough, flexible waterproof seal that is resistant to temperature changes, vibration and shock.

1.5 Oz. Tube
MSQ: 12 Tubes
Part No. 04467708
MS-CD929



LOCK & SEAL ADHESIVE

Locks nuts and bolts to prevent vibration loosening, wear and thread corrosion. Seals against air, oil, fuel and hydraulic leaks. Can be disassembled. Blue threadlocking compound.

6 mL Tube
MSQ: 10 Tubes
Part No. 04318031AB
MS-90061



STUD N' BEARING MOUNT ADHESIVE

Securely locks studs and high-strength fasteners into place. Retains bearings to prevent spin out. Strengthens light press fittings, permanently locks nuts and bolts, prevents leaks. Requires heat for disassembly. Red threadlocking compound.

6 mL Tube
MSQ: 10 Tubes
Part No. 04318032
MS-90061



THREAD SEALANT WITH PTFE

Liquid that seals fittings instantly and allows them to be adjusted without losing their seal. Ideal for use with imperfect threads. Resists chemicals and gasses. Allows easy disassembly.

6 mL Tube
MSQ: 10 Tubes
Part No. 04318034AC
MS-90061

SEALANTS & ADHESIVES



LOCTITE® SI 598™ FLANGE SEALANT

This sealer is required for the end item transfer case assembly P/N 52123492AB. This Loctite® product is used to seal the two halves of the transfer case housings when they are bolted together.

MSQ: 1 Tube

Part No. 68089566AA



TRANSFER CASE SEALANT

A low-odor, RTV silicone compound sealant. See owner's manual for further instructions.

3 Oz. Tube

MSQ: 12

Part No. 68384493AA



URETHANE ADHESIVE

Primer not required when used on glass. One-hour drive away time. Product has very high green strength.

9.8 Oz. Tube

MSQ: 1 Tube

Part No. 68400418AA



THREEBOND™ 1281B TRANSMISSION SEALANT

High-viscosity silicone adhesive for sealing transmission housings and gear boxes with ATF resistance. Corrodes copper and copper-based alloys. Refer to service manual for additional information.

4.1 Oz. Tube

MSQ: 1

Part No. 68145518AB

VEHICLE PREP AND DETAIL



CHROME CLEANER

Excellent chrome surfaces cleaner. Specifically formulated for use on surfaces that are exposed to weather or water. Use on chrome bumpers; wheels, including chrome-clad wheels; mirror backs and grilles.

16 Oz. Bottle
MSQ: 12 Bottles
Part No. 04318013AE



SUPER KLEEN BUG, TAR & SPOT REMOVER

Wipes away gummy substances such as tar, asphalt, oil and undercoating from automobile finishes. Also helps keep interiors looking new by removing grease, wax, lipstick and gum from upholstery.

16 Oz. Bottle
MSQ: 8 Bottles
Part No. 04886330AE



LEATHER, RUBBER & VINYL PROTECTOR

Renews and preserves leather, rubber and vinyl interior components. Protects surfaces with a beautiful medium gloss shine. Prevents weathering with UV protectant.

Warning: This is a medium gloss product used for vehicle detailing. To minimize glare, do not use on dashboard surfaces. Do not use to detail or prep new vehicles.

16 Oz. Bottle
MSQ: 12 Bottles
Part No. 04318017AC



GLASS CLEANER

Streak-free, maximum cleaning formula removes dirt, grime, oil and even freshly sprayed paint from glass. Year-round formulation. A must for every dealership.

11 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04318014AC



GLASS CLEANER

Reformulated for automotive use. Quickly removes haze, smudges, smears and film. Streak-free formula.

16 Oz. Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 04897623AD

VEHICLE PREP AND DETAIL



JEEP® VEHICLE SOFT GLASS WINDOW CLEANER

Safely cleans all plastic windows without scratching. Removes fine scratches to improve visibility and provides UV protection to help prevent yellowing. Simply rinse window, then apply Jeep® Soft Window Cleaner with a clean towel.

16 Oz. Bottle
MSQ: 6 Bottles
Part No. 05012248AE



SOFT TOP ZIPPER CLEANER & LUBRICANT

Specially formulated to clean and lubricate all types of plastic and metal zippers. The patented push/pull dispenser brush removes harmful dirt, sand and salt deposits. Rinses away, yet leaves a unique protective film which lubricates without collecting residue. Biodegradable; contains no silicones or wax.

2 Oz. Bottle
MSQ: 24 Bottles
Part No. 05066440AB



SUNROOF TRACK GREASE

For use on sunroof tracks and open slideways.

1.98 Oz. Tube
MSQ: 1
Part No. 68337909AA



CONVERTIBLE CLOTH TOP CLEANER CONCENTRATE

Formulated to clean cloth tops. Concentrated formula makes 6 to 8 gallons of cleaning solution. For vinyl tops, use Mopar® Vinyl Top Cleaner P/N 04856593AC.

16 Oz. Bottle
MSQ: 6 Bottles
Part No. 05012245AE



CONVERTIBLE CLOTH TOP TREATMENT

Restores water-repellent nature to cloth convertible tops. Simply spray on and allow to dry. Use in conjunction with Cloth Top Cleaner Concentrate P/N 05012245AE.

16 Oz. Trigger Spray
MSQ: 12 Bottles
Part No. 05012246AC



WHITEWALL & VINYL TOP CLEANER

Effectively and easily removes scuff marks and abrasions from whitewall tires, vinyl and convertible tops. Also excellent on floor mats. Safe for use near paint, glass, rubber or chrome. Not for use on cloth tops. For cloth tops, use Convertible Cloth Top Cleaner Concentrate P/N 05012245AE.

16 Oz. Pump Spray Bottle
MSQ: 6 Bottles
Part No. 04856593AC



ENGINE DEGREASER

Formulated to penetrate and dissolve grease, oil, dirt and grime on vehicle engines. Safe for use on hoses, wiring and rubber parts. Fast, emulsifying degreaser leaves a clean, dry surface.

12 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 04318040AC

VEHICLE PREP AND DETAIL



RAIN REPELLANT WINDSHIELD WASHER FLUID

Removes insect debris, oily films, grime, dirt, frost and ice. Also waterproofs windshield; rain and snow bead on the windshield and roll right off. Ready to use. No mixing required. Protects to -25°F.

64 Oz. Bottle
MSQ: 6 Bottles
Part No. 05139804AB



PREMIUM WINDSHIELD WASHER SOLVENT/DE-ICER

Removes frost; won't refreeze after spraying on frosted windshield. Provides freeze protection to -30°F (-34.4°C). Formulated for all-season use. Ready to use. No mixing required.

64 Oz. Bottle
MSQ: 6 Bottles
Part No. 05139803AB



MOPAR® COMPLETE WINDSHIELD WASHER SOLVENT

Concentrate contains a heavy-duty de-icer, a premium detergent package and rain repellent. Solvent must be diluted with water. Protects to -25°F (-31.6°C).

64 Oz. Bottle
MSQ: 6 Bottles
Part No. 68044762AB



55 GALLON DRUM WINDSHIELD WASHER SOLVENT

Concentrated 99% methanol formula. 1:1.2 ratio protects to -30°F (-34.4°C). 1:9 ratio protects to 20°F (-6.6°C).

55 Gallon Drum
MSQ: 110 (2 Drums)
Part No. 68040095AC / SMNWF1**

WINDSHIELD WASHER SOLVENT



Washer Solvent (Parts)	Water (Parts)	Freeze Point	16 Oz. Makes	32 Oz. Makes
1	5	+24°F	3/4 gal.	1-1/2 gal.
1	4	+20°F	5/8 gal.	1-1/4 gal.
1	3	+10°F	1/2 gal.	1 gal.
1	2	-5°F	3/8 gal.	3/4 gal.
1	1	-25°F	1/4 gal.	1/2 gal.

16 Oz. Bottle
MSQ: 24 Bottles
Part No. 04318067AC
MS-3037

1 Quart (32 Oz.) Bottle
MSQ: 12 Bottles
Part No. 04318068AC
MS-3037

Concentrated methanol formula removes bugs, dirt and grime. Will not harm automotive finishes. Protects to -25°F. Concentrated formula: 16 Oz. makes up to 3/4 gallon; 32 Oz. bottle makes up to 1-1/2 gallons (depending on dilution rate and freeze point desired).

VEHICLE PREP AND DETAIL



INTERIOR ODOR ELIMINATOR

Unique formulation and active ingredients help treat the root causes of smells at the source and penetrates every possible corner of the vehicle such as carpet and headliner.

5 Oz. Aerosol Can
MSQ: 12 Cans
Part No. 68621505AA



CAR WASH CONCENTRATE

Clean up to 3,500 cars with one 55-gallon drum of Mopar® Car Wash Concentrate. Special gloss enhancers will have your vehicles looking like new. This versatile and safe new product can be used by hand, through a power washer or through your automatic cloth car wash. Use according to directions and your cost per car will be under 10 cents!

55 Gallon Drum (Liquid)
MSQ: 1 Drum
Part No. 68350001AB / SMNWF1**



CAR WASH CONCENTRATE

This economical detergent cleans over 400 vehicles. Just a splash of product into the bottom of a pail will create lots of creamy lather when hit with water. Perfect for power washer or automatic car wash use. Contains gloss enhancers to renew that showroom shine.

5 Gallon Pail (Liquid)
MSQ: 1 Pail
Part No. 05013678AD



CAR WASH SUPER CONCENTRATE

This fast-acting streak-free detergent easily dissolves dirt and grime. Works well in both hard and soft water. Comes with dispensing pump and makes 128 gallons of finished car wash solution.

1 Gallon Bottle
MSQ: 4 Bottles
Part No. 05003238AD



CAR WASH LIQUID CONCENTRATE

Powerful concentrated shampoo and gloss enhancer is formulated to bring out a vibrant shine on all paint colors, making any car look just waxed and detailed. Polymers increase washing lubricity to help release tough dirt and grime from vehicle surfaces to safely clean with a streak-free shine. 2 ounces makes up to 4 gallons.

1 Quart (32 Oz.) Bottle
MSQ: 12
Part No. 68442387AA



BATTERY TERMINAL PROTECTOR PADS

This kit helps to clean terminals and prevent corrosion. This kit includes Battery Terminal Cleaner and Battery Terminal Protector pads.

2 Pads
MSQ: 25 Pouches
Part No. 68048547AA



TIRE & WHEEL CLEANER

This all-in-one cleaner removes brake dust, dirt and grease. And it cleans raised white lettering. Non-toxic, biodegradable formula is safe to use on chrome, aluminum or painted wheels.

24 Oz. Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 05066247AE
5 Gallon Pail
MSQ: 1
Part No. 05066248AD



ODOR REMOVER

Eliminates odor by neutralizing the source. Non-scented, non-staining formula removes pet, smoke and food odors from carpeting and upholstery. An unscented, non-toxic, highly efficient product that permanently eliminates odors.

24 Oz. Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 05073224AC

**Tooling part number. Available through Mopar Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

VEHICLE PREP AND DETAIL



CIGARETTE ODOR ELIMINATOR, UNSCENTED

Non-staining, non-toxic, unscented odor eliminator safely removes cigarette odors from all vehicle interiors. Spray on all soft surfaces (e.g., fabric seats, carpeting, headliner), then close vehicle doors and windows and allow to dry. This is a great product to use in the used car sales department.

24 Oz. Trigger Spray Bottle
MSQ: 6
Part No. 68441884AB



CARPET CLEANER

Premium formula foaming action cleaner removes dirt and stains from interior carpeting. Perfect for new vehicle prep or used vehicle reconditioning. FCA US engineering approved.

18 Oz. Aerosol Can
MSQ: 12 Bottles
Part No. 05175050AB



TOTAL CLEAN

Superior cleaner for use on interiors. Has a pleasant scent. Deodorizes and restores fresh scent to vehicle. Use on fabric, velour, carpet, leather and vinyl. Ready-to-use formula; no mixing required.

16 Oz. Trigger Spray Bottle
MSQ: 12 Bottles
Part No. 04897840AD

1 Gallon Bottle
MSQ: 6 Bottles
Part No. 04318020AE



CLEANER WAX

Specially formulated for today's sophisticated paints. Leaves finish glossy and well protected. Easy one-step application. Removes light swirls and surface pollutants while providing durable wax protection.

16 Oz. Bottle
MSQ: 6 Bottles
Part No. 04796237AD



TIRE TREATMENT

Spray and wipe to enhance tire appearance. Designed as an occasional use product, exclusively for tires and sidewalls.

16 Oz. Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 04796240AD



FINISH ENHANCER

Use between washes to remove dust and other pollutants. Quick and easy, just mist and wipe. Safe for clear and pearl coat high-tech finishes.

16 Oz. Trigger Spray Bottle
MSQ: 6 Bottles
Part No. 04796238AD



MOPAR® CAR CARE KIT

Strengthen your owner loyalty with the Mopar® Car Care Kit. Created especially for your customers, this useful cleaning kit will help them maintain the interior of their vehicles. Kit includes Glass Cleaner, Leather & Vinyl Protectant and Total Clean.

3 4 Oz. Spray Bottles
MSQ: 1 kit
Part No. 68319193AA

VEHICLE PREP AND DETAIL

The Mopar® line of concentrated vehicle cleaning products is the economical and efficient way to tackle even the toughest cleaning jobs. With these concentrated cleaning products and the free dispensing pump provided, you will increase efficiency in the prep and detail area of your dealership.



TIRE CLEANER CONCENTRATE

Excellent for removing grease, grime, road film and scuffs. Cleans whitewalls and raised white lettering. Safe for use on all factory wheels and wheel covers.

1 Gallon Bottle
MSQ: 3 Bottles

Part No. 05003239AC

*Empty labeled spray bottle plus pail label.
Dispensing pump included.*



INTERIOR CLEANER CONCENTRATE

Formulated to clean quickly without leaving residue. Cleans fabric, upholstery and vinyl. Safe for use on carpets, door panels, seats and head liners. Leaves a clean, fresh fragrance.

1 Gallon Bottle
MSQ: 3 Bottles

Part No. 05003240AC

*Empty labeled spray bottle plus pail label.
Dispensing pump included.*



DEGREASER CONCENTRATE

Dissolves dirt, grease and oil from engine compartments and wheel wells. Great for stubborn grease and oil stains in carpeted areas, or on plastic surfaces.

1 Gallon Bottle
MSQ: 3 Bottles

Part No. 05003241AD

*Empty labeled spray bottle plus pail label.
Dispensing pump included.*

VEHICLE PREP AND DETAIL



SHOP FLOOR CLEANER CONCENTRATE

One box of this heavy-duty Shop Floor Cleaner will clean over 5,000 square feet. Just sprinkle the powder onto a wet floor and agitate with a broom or mop. Rinse well. Will not harm floor paint or remove floor stripping.

50 Lb. Container

MSQ: 1

Part No. 04883968AB



MOPAR® AUTOMATIC CAR WASH DETERGENT

This concentrated detergent contains a high-foaming cleaning agent that removes surface dirt, bugs and road film. At the same time, it lubricates both car wash brushes and cloths. This product can be used in a pressure washer.

5 Gal. Container

MSQ: 1

Part No. 05093094AC

TOUCH-UP PAINT ASSORTMENT KIT & DISPLAY RACK

Visit the Service Drive
Store to reference,
download and print
the guide



TOUCH-UP PAINT GUIDE



PART NUMBER	COLOR CODE	DESCRIPTION	PENS IN DISPLAY
68626445AA	GW7/PW7	Bright White	4
68626496AA	LAU/PAU	Granite Crystal	4
06103536AA	NRV/PRV	Velvet Red	4
68626413AA	DX8/PX8	Pitch Black	4
68626415AA	KXJ/PXJ	Diamond Black Crystal	4
68626463AA	JSC/PSC	Billet Silver	4
68627362AA	AXR/PXR	Brilliant Black Crystal	2
68623586AA	RXF/PXF	Matte Black	2
68626622AA	PDN/PDN	Ceramic Grey	2
68626485AA	KAP/PAR	Maximum Steel Blue	2
68626626AA	MRC/PRC	Firecracker Red	1
68628760AA	JRP/PRP	Deep Cherry Red	1
68626459AA	MBJ/PBJ	Laser Blue	1
68626620AA	WS2/PS2	Bright Silver	1
68626479AA	3-603/PR4	Flame Red	1
68626618AA	KBU/PBU	True Blue	1
68626498AA	RPX/PPX	Patriot Blue	1
68626465AA	JWD/PWD	Vice White	1
68626467AA	SBM/PBM	Ocean Blue	1
68623530AA	KW3/PW3	White	1
			TOTAL 42

For a display only, order with part number: **68629078AA**

For a display with 42 pens (20 colors), order with part number: **68629075AA**

WHEEL TOUCH-UP PAINT KIT

A COMPLETE 3-in-1 SOLUTION FOR MINOR SCRATCHES ON WHEELS

1. Includes a fine sanding stick to remove dirt or rust
2. Clearcoat for light surface scratches
3. Original single-step factory colors for deep scratches

DISPLAY FITS PERFECTLY ON THE PARTS AND SERVICE COUNTER-TOP!




1- Sanding Stick



2- Clearcoat



3- Original Factory Color



Wheel Touch-Up Paint Kit


SALES CODE	COLOR NAME	PART NUMBER	QTY.
PX8	Gloss Black	68414449AA	2
PXY	Hyper Black	68414450AA	2
PXF	Jet Black	68414451AA	2
PXW/PCR	Low Gloss Black	68414452AA	2
PD5	Satin Carbon	68414453AA	1
PAU	High Gloss Granite Crystal	68414454AA	1
PA7	Satin Gloss Granite Crystal	68414455AA	1
PNW	Black Noise	68423870AA	1
TOTAL:			12

Order the 12-pen kit with a display rack P/N **68441921AA** through DealerCONNECT.




1 SINGLE STAGE PAINT
clear coat effect and protection built-in the paint



SMALL NICK REPAIRS
with the corner of the tip



THIN SCRATCH REPAIRS
with the thinner side of the tip



WIDE SCRATCH REPAIRS
with the wider side of the tip



5 BRUSH
APPLICATOR

Other product features

- Intuitive, user friendly design
- Axalta (formerly DuPont) high quality paint technology
- Matches all vehicles colors
- All finishes reproduced: Solids, metallics, pearls and tricoats
- High covering power
- Superior flow control
- Will not drip on vertical applications
- Exclusive to Stellantis dealerships
- Peelable label with instructions on how to use the product
- QR code on label that can lead the users to an instructional video and/or Mopar product information
- 9 mL / 0.3 fl. oz of paint product per pen



TIRE SERVICE KITS

COMPRESSORS AND SEALANTS

Emergency tire inflator kits include a tire compressor and a tire sealant canister assembled in a single unit. Sealant bottle contents for temporary seal of one tire only. See owner’s manual for more information.



Tire Service Kit 05181361AE



Tire Service Kit 68417610AA



Tire Sealant 68320204AA

TIRE SEALANT	TIRE SERVICE KIT
68400709AA	05181361AE
68316717AB	68417610AA
68320204AA	Fits a variety of tire service kits. Order this sealant as a refill.

NUMERICAL PART NUMBER INDEX

PART	ITEM	PAGE NO.
04318005	Stop Leak Pellets	16
04318028	Vinyl Foam Tape	40
04318032	Stud N' Bearing Mount Adhesive	41
04467708	Silicone Windshield & Glass Sealer	41
04773257	Bed Plate Sealant	40
04874459	Synthetic Manual Transmission Lubricant SAE 75W-85	32
04874465	Manual Transaxle and Quadra-trac Lubricant	30
04076274AB	Butyl Tape (ROPE)	40
04267020AD	Antifreeze/Coolant 3-Year Formula — Embittered	14
04318001AE	Combustion Chamber Cleaner	27
04318013AE	Chrome Cleaner	43
04318014AC	Glass Cleaner	43
04318017AC	Leather, Rubber & Vinyl Protector	43
04318020AE	Total Clean	47
04318031AB	Lock & Seal Adhesive	41
04318034AC	Thread Sealant with PTFE	41
04318035AC	Gasket Sealant	40
04318039AE	Rust Penetrant	10
04318040AC	Engine Degreaser	44
04318060AS	Limited Slip Additive	32
04318066AE	Spray White Lube Lithium Grease	34
04318067AC	Windshield Washer Solvent	45
04318068AC	Windshield Washer Solvent	45
04318070AE	Silicone Spray Lube	34
04318080AD	Brake Fluid DOT 3 Motor Vehicle	38
04318083AC	Gasket Maker	40
04467709AB	Bond-All Gel	41
04549275AB	Rear Window Defogger Repair Kit	11
04549625AF	Brake & Clutch Fluid DOT 4 Motor Vehicle	38
04549626AD	MP-50	10
04728942AC	Cooling Coil Coating	9
04762648AC	Antifreeze/Coolant 3-Year Formula — Embittered	14
04773427AB	Weatherstrip Lubricant	36
04773774AC	Weatherstrip Adhesive	41
04796237AD	Cleaner Wax	47
04796238AD	Finish Enhancer	47
04796240AD	Tire Treatment	47
04796268AB	Transmission Cooler Flush	13
04796269AB	Brake Lubricant	35
04798219AD	ICE A/C Leak Detection Dye	33
04856593AC	Whitewall & Vinyl Top Cleaner	44
04856977AC	Cooling System Flush	16
04864015AD	Windshield Install Adhesive Package	41
04874464AC	Manual Transmission Lubricant	30
04883065AB	Gear Marking Compound	10
04883968AB	Shop Floor Cleaner Concentrate	49
04883971AC	Engine Sealant RTV Silicone Rubber Adhesive	39
04886129AB	SP-15 A/C Compressor Lubricant	8
04886330AE	Super Kleen Bug, Tar & Spot Remover	43

PART	ITEM	PAGE NO.
04897156AD	Throttle Body Cleaner	27
04897623AD	Glass Cleaner	43
04897840AD	Total Clean	47
04897841AB	Multi-Mileage Lube	34
05003238AD	Car Wash Super Concentrate	46
05003239AC	Tire Cleaner Concentrate	48
05003240AC	Interior Cleaner Concentrate	48
05003241AD	Degreaser Concentrate	48
05010042AC	4-in-1 Leak Detection Dye	33
05010319AB	Rubber Bushing Installation Lube	34
05010884AD	ATF-RTV	39
05012245AE	Convertible Cloth Top Cleaner Concentrate	44
05012246AC	Convertible Cloth Top Treatment	44
05012248AE	Jeep Vehicle Soft Glass Window Cleaner	44
05012249AC	Nickel Anti-Seize Lubricant	11
05013477AD	Axle RTV	39
05013678AD	Car Wash Concentrate	46
05013781AA	Nye Dielectric Lubricant	36
05015983AD	Rear View Mirror Adhesive	41
05016796AC	Transfer Case Lubricant	31
05018045AC	Electrical Contact Cleaner	10
05018626AA	Nye Synthetic Lubricant	36
05019054AA	Anti-Squeak Tape	11
05019056AA	Foam Tape	11
05019057AA	Foam Tape	11
05019058AA	Foam Tape	11
05019059AC	Oil Lubricant	11
05019060AC	Grease Lubricant	11
05019061AB	Brake & Suspension Grease	35
05066247AE	Tire & Wheel Cleaner	46
05066248AD	Tire & Wheel Cleaner	46
05066440AB	Soft Top Zipper Cleaner & Lubricant	44
05073224AC	Odor Remover	46
05083149AA	Wheel Bearing Grease	34
05083150AA	Multi-Purpose Grease	34
05083160AA	Multi-Purpose Grease	36
05093094AC	Mopar Automatic Car Wash Detergent	49
05114554AD	VC-PAG 46 A/C Compressor Lubricant	9
05127382AB	MB236.12 Automatic Transmission Fluid	12
05127819AA	Hylomar Gasket Dressing/Flange Sealant	40
05136033AC	Gear Lubricant SAE 90	30
05136035AC	Synthetic Axle Lubricant SAE 75W-85	30
05139803AB	Premium Windshield Washer Solvent/De-Icer	45
05139804AB	Rain Repellant Windshield Washer Fluid	45
05170022AB	Cooling Coil Cleaner	9
05175050AB	Carpet Cleaner	47
05179014AA	Transfer Case Lubricant NV246	31
05181361AE	Tire Service Kit	54
05189966AD	ASRC & Trade; ATF	12

NUMERICAL PART NUMBER INDEX

PART	ITEM	PAGE NO.
05189977AB	ASRC & Trade; ATF	12
05189978AA	ASRC & Trade; ATF	12
05189979AA	ASRC & Trade; ATF	12
05191184AB	CVTF+4 Transmission Fluid	12
05191186AE	CVTF+4 Transmission Fluid	12
05191187AA	CVTF+4 Transmission Fluid	12
68001332PC	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68001333PD	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68001334PD	Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	24
68001335PC	Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	24
68001758AB	Transfer Case Lubricant NV146	31
68002256AB	Output Shaft Assembly Lubricant	35
68002823AA	MB236.12 Automatic Transmission Fluid	12
68002825AC	Antifreeze/Coolant 3-Year Formula — Embittered	14
68002827AC	Antifreeze/Coolant 3-Year Formula — Embittered	14
68024966PD	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68024967PC	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68024968PE	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68321503PC	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68024969PC	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68028729AB	EGR System Cleaner	17
68028730AA	Bushing Grease	35
68029698AC	Water Pump Lubricant	16
68035321AB	Vitamol ZH-M Hydraulic Fluid	32
68035700AC	Diesel Exhaust Fluid	17
68035704AC	Diesel Exhaust Fluid (DEF)	17
68040095AC	Windshield Washer Solvent	45
68042967AB	Undercoat Kit	10
68042968AB	Undercoat Kit Refill	10
68042969AB	Cavity Wax Kit	10
68042970AB	Cavity Wax Kit Refill	10
68043289AB	ND-11 A/C Compressor Oil POE Type	8
68043742AB	DEXRON-VI Automatic Transmission Fluid	13
68044417PC	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68044565AB	Diesel Turbocharger Cleaner	17
68044762AB	Mopar Complete Windshield Washer Solvent	45
68048547AA	Battery Terminal Protector Pads	46
68048953AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68049954AC	Transfer Case Lubricant for BorgWarner 44-40 and 2016+ 44-44	31
68051212AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051213AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051214AB	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051215AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14

PART	ITEM	PAGE NO.
68051216AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051217AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051218AB	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68056278AC	Diesel Exhaust Fluid (DEF)	17
68082860AB	Threebond Engine RTV	39
68083381AA	Rear Axle Lubricant SAE 75W-85	28
68088485AB	Electric Steering Pump Fluid	38
68089195AA	Transfer Case Lube for BorgWarner 44-45, 44-46, 44-47, 44-48 and Pre-2016 44-44	31
68089566AA	Loctite SI 598 Flange Sealant	42
68092630AA	C Series Manual & Dual Dry Clutch Transmission Fluid	32
68092636AA	C Series Manual & Dual Dry Clutch Transmission Fluid	32
68092638AB	C Series DDCT SAE 75W Hydraulic Fluid	30
68119754AA	RTV Silicone Rubber Adhesive	39
68140973AA	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68140983AA	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68145518AB	Threebond 1281B Transmission Sealant	42
68147411PB	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68163848AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68163849AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68170681AB	RL-897 A/C Compressor Oil POE Type	8
68171006PB	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68171866AB	SP-IV M Automatic Transmission Fluid	12
68171869AB	SP-IV M Automatic Transmission Fluid	12
68192413AB	Electric A/C Compressor Oil	8
68194558AA	Half Shaft Grease	34
68210057AB	Synthetic Axle Lubricant SAE 75W-85	29
68210514AB	Single Speed Transmission Fluid	32
68218041AB	Gear & Axle Lubricant SAE 80W-90	28
68218056AD	ATF+4	12
68218057AC	ATF+4	12
68218058AC	ATF+4	12
68218059AC	ATF+4	12
68218064AC	Power Steering Fluid +4	38
68218066AB	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil, Ecobox™	20
68218654AB	Synthetic Gear & Axle Lubricant SAE 75W-90	30
68218655AC	Synthetic Gear & Axle Lubricant SAE 75W-90	29
68218657AB	Synthetic Gear & Axle Lubricant SAE 75W-140	29
68218891AC	Mopar SAE 5W-20 Synthetic Blend Engine Oil	21
68218923AC	Mopar SAE 5W-30 Synthetic Blend Engine Oil	21
68218925AB	8 & 9 Speed ATF	12
68218926AB	8 & 9 Speed ATF	12
68218931AC	Mopar SAE 10W-30 Engine Oil	22
68524960AA	Mopar SAE 10W-30 Engine Oil	22
68218940AD	Mopar SAE 15W-40 Engine Oil	22
68218941AC	Mopar SAE 15W-40 Engine Oil	22

NUMERICAL PART NUMBER INDEX

PART	ITEM	PAGE NO.
68218944AA	Mopar SAE 15W-40 Engine Oil	22
68218951AC	Mopar SAE 0W-20 Engine Oil	21
68725956AA	1234YF A/C Refrigerant	9
68224028AB	1234YF A/C Refrigerant	9
68224150AB	ND-OIL 12 A/C Compressor Oil	9
68224945AA	Gel Pack Rain Sensor	11
68227766AB	Synthetic Hydraulic Control Fluid	32
68230057AB	Flock Tape	11
68231020AA	Mopar SAE 5W-40 Engine Oil	22
68231021AA	Mopar SAE 5W-40 Engine Oil	22
68232939AB	A/C Compressor Oil	8
68232947AB	Open Differential Axle Lubricant Synthetic SAE 75W-85	29
68232948AB	Limited Slip Differential Axle Lubricant Synthetic SAE 75W-85	29
68234631AB	Hydraulic System Power Steering Fluid	38
68256847AA	Dry Clutch Transmission Fluid SAE 75W-85	32
68280932AA	Front Axle Power Transfer Unit Lubricant SAE 75W-90	28
68280933AA	Rear Axle Differential Module Lubricant SAE 75W-90	28
68290303AA	Touch-Up Paint Display Rack	50
68306473AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68306476AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68306482AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68306483AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68316717AB	Tire Sealant	54
68317791AA	Black Corrosion Resistant Protectant	11
68319193AA	Mopar Car Care Kit	47
68320204AA	Tire Sealant	54
68333586AA	Long Life Manual Transmission Lubricant SAE 75W-90	13
68333587AA	Long Life Automatic Transmission Fluid DAF 6-SPD AISIN JWS3309	13
68333589AA	Long Life Hypoid Gear Oil SAE 75W-85	30
68334695AA	55/45 Premixed Extended Life	15
68337909AA	Sunroof Track Grease	44
68339072AA	Hypoid Gear Lubricant SAE 75W-80	28
68340460AA	Ram 1500 2017+ Rear Axle Lubricant SAE 75W-90	31
68350001AB	Car Wash Concentrate	46
68364258AA	Multi Axle Lubricant SAE 75W-85	28
68364292AA	Coil Dielectric Grease	35
68377611AA	Transfer Case Lubricant SAE 75W	31
68378949AA	Synthetic Gear & Axle Lubricant SAE 75W-85	30
68379579AA	RTV Sealant	39
68384493AA	Transfer Case Sealant	42
68400418AA	Urethane Adhesive	42
68400709AA	Tire Sealant	54
68417610AA	Tire Service Kit	54
68425736AA	P-80 Grip-It Lubricant	36
68436632AA	Mopar FIAT Starter Kit w/Display Rack	50
68438447PA	Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	23
68492707AA	Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	23

PART	ITEM	PAGE NO.
68440571PA	Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	23
68441881AA	Diesel Exhaust Fluid (DEF)	17
68441884AB	Cigarette Odor Eliminator, Unscented	47
68441921AA	Wheel Touch-Up Paint Kit	51
68442387AA	Car Wash Liquid Concentrate	46
68449546AA	Rear Axle Lubricant SAE 75W-85	28
68449547AA	Rear Axle Lubricant SAE 75W-140	29
68453175AA	A/C Compressor Oil POE Type	8
68461587AA	DEF Nozzles	17
68468175AA	Rust Inhibitor	37
68468175AA	Undercoat	37
68468176AA	Paint Sealant	37
68468177AA	Leather and Vinyl Protector	37
68468179AA	Fabric Protector – Solvent-Based	37
68468180AA	Fabric Protector – Water-Based	37
68468181AA	Rust Inhibitor – Wisconsin only	37
68518202AA	Mopar SAE 5W-20 Synthetic Blend Engine Oil	21
68518204AA	Mopar SAE 5W-30 Synthetic Blend Engine Oil	21
68518205AA	Mopar SAE 5W-30 Synthetic Blend Engine Oil	21
68523969AA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	25
68523970AA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	24
68523971AA	Pennzoil Platinum Euro SAE 5W-20 Full Synthetic Motor Oil	25
68523981AA	Pennzoil Platinum Euro SAE 5W-30 Full Synthetic Motor Oil	25
68523985AA	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	24
68523988AA	Mopar SAE 0W-30 Engine Oil	21
68523989AA	Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	24
68523994AA	Mopar SAE 0W-20 Engine Oil	21
68523995AA	Pennzoil SAE 10W-30 Engine Oil	24
68524000AA	Mopar SAE 10W-30 Engine Oil	22
68524002AA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil, Ecobox™	20
68524003AA	Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	24
68524004AA	Pennzoil SAE 5W-20 Synthetic Blend Engine Oil	24
68524007AA	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil, Ecobox™	20
68524010AA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil, Ecobox™	20
68524011AA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil, Ecobox™	20
68524015AA	Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	25
68524016AA	Pennzoil SAE 10W-30 Engine Oil	24
68524116AA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	24
68524118AA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	25
68524121AA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	25
68524125AA	Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	24
68524127AA	Pennzoil SAE 5W-20 Synthetic Blend Engine Oil	24
68524131AA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	25
68524134AA	Mopar SAE 10W-30 Engine Oil	22
68524135AA	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	24
68524136AA	Pennzoil SAE 10W-30 Engine Oil	24

NUMERICAL PART NUMBER INDEX

PART	ITEM	PAGE NO.
68524956AA	Mopar SAE 5W-20 Synthetic Blend Engine Oil	21
68524957AA	Mopar SAE 5W-30 Synthetic Blend Engine Oil	21
68524961AA	Mopar SAE 5W-20 Synthetic Blend Engine Oil	21
68524962AA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	25
68524965AA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	24
68524966AA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	25
68524968AA	Mopar SAE 10W-30 Engine Oil	22
68524970AA	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	24
68524971AA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	25
68524974AA	Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	24
68524976AA	Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	25
68524979AA	Pennzoil SAE 10W-30 Engine Oil	24
68524981AA	Pennzoil SAE 5W-20 Synthetic Blend Engine Oil	24
68524985AA	Pennzoil SAE 5W-30 Synthetic Blend Engine Oil	24
68524986AA	Pennzoil SAE 10W-30 Engine Oil	24
68565407AA	Touch-Up Paint Assortment Kit w/Display Rack	50
68621322AA	Premium Fuel System Cleaning Kit	26
68621326AA	Major Induction Fuel Kit	26
68621344AA	Premium Diesel Fuel Treatment	27
68621490AA	Premium Diesel Fuel System Cleaner	27
68621500AA	A/C Evaporator Cleaner	26
68621505AA	Interior Odor Eliminator	46
68621515AA	Brake Aerosol Cleaner, 45%	39
68621515GA	Brake Aerosol Cleaner, Non-Chlorinated 45%	39
68621516AA	Brake Aerosol Cleaner, 10%	39
68628049AA	Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	39
68628050AA	Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	39
68628052AA	Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	39
68628053AA	Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	39
68628278AA	Premium Fuel System Cleaner	27
68628279AA	Air Intake & Throttle Body Cleaner	26
68628280AA	Fuel Injector & Combustion Chamber Cleaner	27
68628281AA	Air Intake & EGR Cleaner	26
68629555AA	Diesel Fuel System Cleaning Kit	26
68634278AA	Brake Aerosol Cleaner, Non-Chlorinated 10% VOC	39
68634279AA	Brake Aerosol Cleaner, Non-Chlorinated 45% VOC	39
68676852AA	EV A/C Leak Detection Dye	33
68716975AA	Radiator Cleaner	16
68716979AA	Diesel EGR System Cleaner	27
82203693AC	Paint Sealant	37
82203694AC	Fabric Protector – Solvent-Based	37
82212074AB	Rust Inhibitor	37
82212075AB	Paint Sealant	37
82212076AB	Fabric Protector – Solvent-Based	37
82212077AB	Leather and Vinyl Protector	37
82212078AB	Undercoat – Solvent-Based	37
82212089AB	Rust Inhibitor – Wisconsin only	37
82213192AB	Fabric Protector – Water-Based	37
82213193AB	Fabric Protector – Water-Based	37

PART	ITEM	PAGE NO.
82214572AB	Undercoat – Water-Based	37
82300101AC	R-134A A/C Refrigerant	9
82300102AC	ND-OIL 8 A/C Compressor Oil PAG Type	8
82300234AC	Silicone Rubber RTV	40
J8126688AB	Dielectric Grease	35
MD974421	Liquid Gasket for MMC	36



MOPAR@PTAK.AUTO.PL`
WWW.PTAK.AUTO.PL

